


Endothal Turf Herbicide is an aqueous endothal solution for use as a selective spray for lawns to control Veronica (speed-well), knotweed, bur clover, white clover, sweet clover, black medic, chickweed (in the South), cranesbill and filaree, dichondra (pony foot), goathead, henbit, lespedeza, oxalis, vetch, little barley, rescue grass, cheat and other annual bromes, ryegrass and for suppression of Poa annua in bent and blue grass turf. For control of certain other broadleaved weeds, 2,4-D in accordance with manufacturer's directions, may be added to the sprayer with endothal.

HOW TO MIX AND APPLY: Mix 1½ ounces (3 tablespoons) of Endothal Turf Herbicide in 1 to 2 gallons of water and apply evenly to 1,000 square feet or for larger areas mix one quart in 20 to 30 gallons of water applying evenly as a fine mist to one acre. For best results, make 2 applications at 2-3 week intervals. Apply only when moisture and temperature conditions are favorable for good turf growth. For Poa annua control, use 3 early spring applications at ¼ ounce (1½ tablespoons) per 1,000 square feet. Apply evenly as a fine mist; do not use more than recommended amounts.



ACCEPTED
 JUN 13 1972
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND HERBICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 4581-79

NET CONTENTS

U.S. GALLONS *Comment*

ENDOTHAL TURF HERBICIDE

ACTIVE INGREDIENT

Disodium Salt of Endothal*

19.2%

INERT INGREDIENTS

80.8%

TOTAL

100.0%

*7 Oxybicyclo (2,2,1) heptane-2,3 dicarboxylic acid equivalent 15.5%

WARNING

SEE SPECIFIC WARNING AND CAUTION STATEMENTS ON SIDE PANEL

KEEP OUT OF REACH OF CHILDREN

USDA Registration No. 4581-79

AGCHEM-DECCO DIVISION-PENNWALT CORPORATION

TACOMA, WA. MONROVIA, CA. PHILADELPHIA, PA.
 DAK BROOK, IL. LRYAN, TX. FRESNO, CA. MONTGOMERY, AL.

WARNING: MAY BE FATAL IF SWALLOWED. IRRITATING TO SKIN, NOSE, EYES, AND THROAT. MAY BE ABSORBED THROUGH SKIN. AVOID BREATHING SPRAY MIST. Do not get in eyes, on skin, or on clothing. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. If swallowed, give cold milk or cold water. Call a doctor immediately.

CAUTION: Under certain conditions some temporary turf browning may occur to St. Augustine, Bermuda and other turf grasses, especially when temperatures are over 80° and the weather is dry. Apply only on well established, vigorously growing turf. Do not use on putting greens or Red fescue turfs. Do not store this material where it might contaminate seeds, feed or foodstuffs. Avoid contact with or drift to trees or other plants, as injury may occur. To avoid drift, do not apply in windy weather.

Wash out sprayer at the end of each day's use. Keep children and animals off treated areas until dry.

This product is toxic to wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse this container. Do not burn. Destroy when empty.

NOTICE

Pennwalt Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. Pennwalt Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Pennwalt Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values.

MADE IN U.S.A. 5-9211-04A12M PRINTED IN U.S.A.

Cameraman's Note

Poor Copy

ACCEPTED WITH COMMENTS