THIRAM 75 is a wettable powder formulation recommended for use as a seed treater, turf fungicide, and animal repellent.

### SELD TREATMENT:

THIRAM 75, when used properly on crop seeds listed below will usually increase stands and yields by reducing losses from seed decay, damping off and seedling blight. Treat seed anytime after seeds are well cured.

	Ounces Thiram		Ounces Th	
CROP SEEDS	per 100 lbs. se	eed CROP SEEDS	per 100	bs. seed
	Dry Sh	urry	Dry	Slurry
Field corn	2.0	1.7 Snap beans, Soybeans*	r	
Sweet corn	2.0	5.3 Cowpeas	I.4	1.3
Rice	3.0	2.2 Sorghum, Millet		2.6
Peas	2.2	2.0 Peanuts (shelled)	3.0	3.0
		- · · ·		

\*Trec jume seed first, then innoculate just before planting if necessary.

ONIONS—(sinut control) In set onions, use  $10^{2}/_{3}$  oz. of THIRAM 75 to 10 lbs. of seed. GLADIOLUS BULBS-For control of basal rot and corm decay-Dry bulbs thoroughly then coat them by shaking in paper bag or by dipping in a suspension of 1 lb THIRAM 75 in 8 gals. of water----if to be stored spread out to dry.

SWEET POTATOES—For control of scurf and stem rot of sweet potatoes, dip the roots of the sprouts for  $\frac{1}{2}$  minute into suspension of 1 lb. THIRAM 75 in  $\frac{71}{2}$  gals. of water, agitate fre quently, plant sprouts shortly after treatment.

NOTE: LABEL TREATED SEED—"This seed treated with THIRAM 75. Do not use for feed food or oil purposes."

### TURF FUNGICIDE:

To control Brown patch, dollar spot and snow mold, apply THIRAM 75 at the rate of 6 oz. per 1,000 sq. ft. in sufficient water for good coverage. Apply at 10-day intervals during summer when conditions favor individual diseases. For information on timing, contact your local experiment station. Apply early before diseases appear. Do not use grass clippings for food or feed purposes. For snow mold control apply at the rate of 8 oz. per 1,000 sq. feet in late fall before snow falls and at the rate of 4 oz. per 1,000 sq. feet in the spring just after snow melts.

### ANIMAL REPELLENT:

To protect forest trees, fruit trees, nursery stock, shrubs, and ornamentals for 6 months or longer (depending on weather and other conditions) from rabbits, meadow mice and deer, mix 1 lb THIRAM 75 with 3 gts. water and 2 lbs. of a weather resistant sticker, such as Rohm & Haas Rhoplex AC-33. Do not mix more repellent than can be used in a short time. Apply during dormant or growing season before expected time of animal damage. It should be applied only when surface of plants to be treated are dry and under favorable drying conditions. Mixed material may be applied as a:

SPRAY APPLICATION: Apply as a full-coverage spray with a hand sprayer or mechanica sprayer. In the case of tree seedlings, it is suggested that not more than 3000 seedlings be treated with each gallon of finished spray.

DIP APPLICATION: Apply to bundles of forest nursery or fruit tree planting stock by dipping to thoroughly wet the foliage and other parts to be protected. Excess repellent should be permitted to run off treated plants without coming in contact with the roots.

BUNDLES OF NURSERY PLANTING STOCK SHOULD BE PERMITTED TO DRY THOR OUGHLY BEFORE PLANTING OR STORING.

BRUSH APPLICATION: Apply on lower trunk of fruit trees or ornamental plantings from ground level to a height of approximately  $2\frac{1}{2}$  ft. to protect plants from injury to trunk.

Do not use on plant parts that are to be used for food or feed MADE IN U.S.A.

5 9987H 0 (E91 . M



May cause skin irritation. Do not inhale dust. Do not get in eyes or on skin. In case of contact, wash skin with soap and water; for eyes, flush with plenty of water and get medical attention. Wash thoroughly after handling.

values.

Pennwalt Corporation warrants that this material contorms to the chemical description on the label and is reasonably fit for the purposes referred to in the Diractions for Use, subject to the risks referred to therein. Pennwalt Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Pennwalt Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profit or

## Net Weight 3 Lbs.

# Seed Treater—Turf Fungicide—Animal Repellent

ACTIVE INGREDIENT		
Thiram (Tetramethylthiuram disulfide)	75.0%	
INERT INGREDIENTS	25.0%	
TOTAL	100.0%	

# CAUTION KEEP OUT OF REACH OF CHILDREN

Burn or bury containers; never re-use. Stay out of smoke and fumes.

### NOTICE

# USDA Registration No. 4581-99 1 11, 4- 1 AGRICULTURAL CHEMICALS

5 998 1A 03E91 2M

TACOMA, WASHINGTON MONTGOMERY. ALA

1. J. P. J. P. BRYAN, TEXAS PHILADELPHIA. PA.

\* BECOK ILL FRESNO. CALIF.