

# **NSECTICIDE**

ACTIVE INGREDIENT Sodium Fluoaluminate (Fluorine — not less than 50°;)... INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN CAUTION

See Specific Caution Statements on Panel Below

EPA Registration No. 4581-116
EPA Establishment No. 33770-JP-01
50 Lbs. Net Weight
AGCHEM DIVISION-PENNWALT CORPORATION

PRATTVILLE, AL.

PHILADELPHIA, PA,

COLLEGE STATION, TX..

COLUMBUS, OH.,

FRESNO, CA.

HEALTH PRODUCTS

# PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation of dust.

## **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open burning and dumping prohibited. Do not reuse empty container.

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State, or local disposal authorities.

Consult Federal, State, or local disposal authorities for approved procedures.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KRYOCIDE is a fine powder and suitable for spray or dust application by ground equipment or airplane. A thorough application should be made, covering the underside of the leaves as well as the top if possible. KRYOCIDE is recommended for control of the insects on the crops listed below.

ত্ব তার <mark>কিন্তু উপত্রেক্তা</mark> হৈছে সাম্প্রকল্পের তার কিন্তু কিন্তু হৈছে হয়। তার অনুষ্ঠান সংক্রিকার সাম্প্রকলিক ভারতা নামি হয় হয়। বিশ্ব কিন্তু কর্ম POUNDS PER ACRE

Crop	Spray	Dust	Insects
APPLES ORNAMENTALS PEACHES PEARS SHADE TREES	25-50	25-50	Codfing moth Flea weevil Fuller rose beefle Gypsy moth caterpillar Katydids Plum curculio
BEANS <sub>.</sub>	25-50	25-50	Bean leaf beetle Bean leafroller Cucumber beetles Corn earworm Flea beetles Mexican bean beetle
BROCCOLI CABBAGE CAULIFLOWER COLLARDS MUSTARD RADISH TURNIPS	25-50	25-50	Cabbage looper Climbing cutworms Corn earworm Cucumber beetles Diamondback moth caterpillar Flea beetles Imported cabbageworm Yellowstriped armyworm
CANTALOUPE CUCUMBER SQUASH WATERMELON	15-25	25-50	Cabbage looper Cucumber beetles Flea beetles Melonworm Pickleworm
CITRUS	<b>8</b> -10	25-50	Citrus cutworm.
<i>y</i>	25-50	25-50	Fruittree leafroller Fuller rose beetle Garden tortrix Holcocera Katydids Orangedog Orange tortrix Variegated cutworm

	POUNDS PER ACRE			
Сгор	Spray	Dust		
CRANBERRIES	25-50	25-50	Cranberry week	

CRANBERRIES	25-50	25-50	Cranberry weevil False armyworm Gypsy moth caterpillar
GRAPES	8-10	10-20	Cutworms Grape leaffolder Grape leafroller Omnivorous leafroller Orange tortrix Western grapeleaf skeletonizer
LETTUCE	15-30	15-30	Cabbage looper Corn earworm Tobacco budworm
PEPPERS	25-50	25-50	Hornworms Pepper weevil
STRAWBERRIES	8-10	25-50	Omnivorous leafroller Strawberry leafroller
TOMATOES	15-30	15-30	Blister beetles Cabbage looper Flea beetles Fruitworms Hornworms Tomato pinworm

NOTE: Do not use KRYOCIDE in combination with lime or compounds containing free lime. Do not apply KRYOCIDE immediately before a harvest. Do not apply to bush and vine fruits after fruit starts to form. Do not apply to cabbage, broccoli or grapes after heads or edible parts start to form. Do not apply to collards, mustard, cauliflower or lettuce after the seedling stage or to turnips after seedling stage if tops are to be used for food.

Remove excess residues on edible portions of fruit and vegetables by washing, brushing or other effective means.

# WARRANTY AND DISCLAIMER

Pennwalt Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein, PENNWALT MAKES NO OTHER **EXPRESS OR IMPLIED WARRANTY OF FITNESS** OR MERCHANTABILITY OR ANY OTHER EX-PRESS OR IMPLIED WARRANTY, IN NO CASE . SHALL PENNWALT OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST; OR OTHER EXPENSES INCURRED IN PLANTING OR HARVESTING.

Pennwalt and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of Pennwalt.

ACCEPTED

SEP 12 1979

Under the Federal Insectic.
Fungicide, and Rodenticide Act,
as amended, for the posticide
registered under 1501-116-

MADE IN JAPAN

5-2022-14H9

PRINTED IN JAPAN

4