

DIRECTIONS—READ PRECAUTIONS BEFORE USING

Cotton Insect Control—For control of cotton aphids, cotton leaf worms and spider mites, apply 1/4 to 1/2 pint per acre of Parathion E-4 in sufficient amount of water for complete coverage depending upon type of equipment and size of cotton.

Parathion E-4 should be applied when aphids are present in buds and on leaves of seedling cotton, or when honeydew develops on older cotton, repeat as needed. For spider mites, apply when leaves begin to turn yellow or when yellowish or whitish speckling of leaves indicates damage, repeat as needed. For leafworms, apply when they first appear and at 5-day intervals until control is obtained. Do not apply within 5 days of picking. Workers entering fields within 24 hours of treatment should wear protective clothing.

WARNING

DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN—REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS. DO NOT GET IN EYES, ON SKIN OR CLOTHING.

Wear clean, heavy natural rubber gloves, goggles and clean water-proof or freshly laundered protective clothing (coveralls, cap, etc.). Destroy and replace gloves frequently. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of skin contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

DO NOT BREATHE VAPOR OR SPRAY MIST

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Airplane pilots should wear full-face canister-type mask. If handled indoors provide mechanical exhaust ventilation.

DO NOT CONTAMINATE FEED AND FOODSTUFFS

Bury spillage; clean up area with strong lye solution.

KEEP ALL UNPROTECTED PERSONS OUT OF OPERATING AREAS OR VICINITY WHERE THERE MAY BE DANGER OF DRIFT. VACATED AREAS SHOULD NOT BE REENTERED UNTIL DRIFTING INSECTICIDE AND VOLATILE RESIDUES HAVE DISSIPATED.

TOXIC TO FISH AND WILDLIFE. DO NOT CONTAMINATE ANY BODY OF WATER NOR APPLICATOR'S HANDS. FAVOR DRINKING WATER FROM CROCK AREA TREATED NOR APPLY TO ANY AREA NOT SPECIFIED ON LABEL. THIS PRODUCT IS HIGHLY TOXIC TO BEES. AVOID TOXIC TO BEEHIVE TREATMENT OR RESIDUAL ON CROCK. PROPERLY STORED PRODUCT MAY BE OBTAINED FROM YOUR DISTRIBUTOR AND FUTURE USES.

NET CONTENTS

GALLONS


PARATHION E-4

(Contains 4 pounds Ethyl Parathion per gallon)

ACTIVE INGREDIENTS:

Parathion*	46.5%
Xylene based aromatic solvent	48.5%
INERT INGREDIENTS	5.0%
TOTAL	100.0%


*O,O-diethyl O-p-nitrophenyl thiophosphate



See Antidote statement and other required warning statements on the side panel

KEEP OUT OF REACH OF CHILDREN

U.S.D.A. Reg No. 4581-155



TACOMA, WASHINGTON PHILADELPHIA, PA.
 OAK BROOK ILL BRYAN, TEXAS FRESNO CALIF MONTGOMERY, ALA.

ATROPIN

ANTIDOTES: If swallowed and repeat until vomited. Consult a Physician immediately.

If on skin. In case of skin contact, wash with soap and water.

FIRST AID TREATMENT: In case of parathion poisoning.

Remove patient immediately if symptoms or signs of poisoning such as tightness in chest, difficulty in breathing, (1/100 gr.) at once.

NE

PHYSICIANS' NOTE: In case of poisoning, such as in the chest, blurred vision, nausea, vomiting, diarrhea, etc.

TREATMENT: Give 1-2 tablets at once and repeat until pupils dilate. Artificial respiration should be continued 48 hours if necessary. Cause of poisoning should be determined. Allow no further use unless specifically allowed as directed.

DES

Flush out thoroughly with water. If necessary, flush off harmlessly as to the container full of hot water. Take to city dump for any use whatsoever.

Keep container closed.

Fenwalt Corporation is not responsible for any loss or damage to the user's property, including any loss of crops, and no agent of Fenwalt makes any specific reference to any particular use of profits or values.

MADE IN U.S.A.

NET CONTENTS

GALLONS


PARATHION E-4

(Contains 4 pounds Ethyl Parathion per gallon)

ACTIVE INGREDIENTS:

Parathion*	46.5%
Xylene based aromatic solvent	48.5%
INERT INGREDIENTS	5.0%
TOTAL	100.0%

*O,O-diethyl O-nitrophenyl thiophosphate



See Antidote statement and other required warning statements on the side panel

KEEP OUT OF REACH OF CHILDREN

U.S.D.A. Reg No. 4581-155



TACOMA, WASHINGTON

PHILADELPHIA, PA.

OAK BROOK, ILL.

BRYAN, TEXAS

FRISCO, CALIF.

MONTGOMERY, ALA.

ATROPINE IS ANTIDOTAL—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY

ANTIDOTES: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately.

If on skin. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

FIRST AID TREATMENT: Consult your physician at once in all cases of suspected parathion poisoning.

Remove patient immediately from the area where parathion is present. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in chest, don't wait for a doctor but give two atropine tablets (each 1/100 gr.) at once.

NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON

PHYSICIANS' NOTE: Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine; preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water in some location where flush water can be run off harmlessly as to not contaminate feed, food, or water sources. Then punch container full of holes or crush so that it cannot be used again for any purpose. Take to city dump or other location where no attempt will be made to salvage for any use whatsoever.

FLAMMABLE

Keep container closed and away from heat and open flame.

NOTICE

Pennwalt Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the tests referred to therein. Pennwalt Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Pennwalt Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages such as loss of profits or values.

MADE IN U.S.A.

5-3019-04

PRINTED IN U.S.A.