

July 21, 71
UNDER THE FEDERAL INSECTICIDE ACT



PENTRETE 148A

FOR
TOBACCO SUCKER CONTROL

ACTIVE INGREDIENTS:*

n-Hexanol (fatty alcohol C6 - 100%)---	49
n-Octanol (fatty alcohol C8 - 100%)---	279
n-Decanol (fatty alcohol C10 - 100%)--	329
INERT INGREDIENT: -----	319
TOTAL-----	1009

*Weight of active ingredients is 4.69 pounds per gallon.

WARNING

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed. Avoid contact with skin and eyes. In case of eye contact flush immediately with plenty of water and get medical attention. Avoid inhalation of spray mist. Use safety goggles and rubber gloves when handling concentrate. See all warning statements on side panel.

U.S.D.A. registration No. 4581-276

NET CONTENTS 5 U.S. GAL.

SOLD BY

AGCHEM-DECCO DIVISION - PENNWALT CORPORATION

TACOMA WA PHILADELPHIA PA MONROVIA CA
OAK BROOK IL BRYAN TX FRESNO CA MONTGOMERY AL

GENERAL INFORMATION

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

PENTRETE 148A is a contact tobacco sucker control chemical for flue-cure, burley, and dark tobacco. It contains 4.69 pounds of active ingredients per gallon with a wetting agent included. **PENTRETE 148A** kills suckers by contact; therefore, the spray must be directed at the growing tobacco plant, not the growing soil, and down the stalk and major veins of leaves with each sucker. **PENTRETE 148A** sucker control is effective 4 to 6 weeks after application. It is a contact herbicide; it does not affect flowers.

DIRECTIONS FOR USE

TIME OF APPLICATION: Tobacco suckers should be controlled early in the season. Apply **PENTRETE 148A** when tobacco plants are in the early stages of growth.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

RATE AND METHOD OF APPLICATION: POWER SPRAYER—

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

of the tobacco and suckers, the lower amount when the soil is moist. Apply on 50 gallons of water at least. The mixture is the rate of 40 to 45 gallons per acre.

The spray mixture should be applied during the early stages of growth. **PENTRETE 148A** is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

MIXING INSTRUCTIONS: Be sure the **PENTRETE 148A** is thoroughly mixed with water before starting the application. If using a power sprayer, have an agitator and by-pass built in the barrel. Do not mix **PENTRETE 148A** with other chemicals unless they are specifically recommended.

NUMBER OF APPLICATIONS: Apply **PENTRETE 148A** as often as necessary to control tobacco suckers. It is effective for 4 to 6 weeks.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

PENTRETE 148A is applied as a spray to the tobacco plant.

WARNING

NOTICE

5-9147-01