

DIRECTIONS FOR USE

APPLICATION: For all uses uniform application is essential. WEED BLITZ may be applied either as a dry granular material or as a water spray. Both dry and spray applications become effective as soil treatments following rainfall or irrigation.

For **DRY application** conventional hand operated or power herbicide spreaders may be used.

For **SPRAY application** equipment with mechanical agitation (preferably vigorous enough to keep the granules suspended in the water while dissolving) is recommended. First, add water to the spray tank. Then, with agitator operating, add the WEED BLITZ. With good agitation up to 3 pounds per gallon of WEED BLITZ may be used. Continue agitation until the herbicide is completely dissolved, and preferably until spray tank is empty. Necessary precautions should be taken to keep undissolved material out of pumps and lines.

GENERAL VEGETATION CONTROL: WEED BLITZ applied as a spray will give quick knockdown of vegetation and residual control of annual broad-leaved weeds and grasses on areas such as parking lots, fence lines, highway and railroad sites, and industrial yards. For **SPRAY applications** add 1/2 to 2 pounds of WEED BLITZ to sufficient water to cover 100 square feet. Apply as a contact spray thoroughly wetting all parts of the plants, particularly the growing tips. 1/2 to 1 gallon per 100 square feet is usually adequate for young growth up to 6 inches high. The higher rates may be necessary to insure thorough coverage of heavy vegetation or to provide extended residual control. For **DRY application** apply 1/2 to 2 pounds per 100 square feet. The lighter rates should be used only at time of weed emergence on moist soil, or when precipitation is anticipated while weeds are still young.

PERENNIAL NOXIOUS WEEDS: Persistent perennial weeds are most effectively treated when nearing maturity or during dormant stages in the fall. Spring applications may also be made under moderate rainfall conditions. Summer applications are recommended only where rainfall is dependable for leaching the herbicide into the soil. Apply 2 to 4 pounds per 100 square feet in the dry granular form or as a spray. On deep rooted perennials such as bindweed, Canada thistle, Bermuda grass, and quack grass, the heavier rates may be required.

JOHNSON GRASS CONTROL: In Noncropped Areas WEED BLITZ is effective for control of Johnson grass, Dallis grass and other deep rooted perennial grasses on areas such as industrial sites, roadsides, and utility areas. Apply dry at 1 to 3 pounds per 100 square feet or as a spray at 1 to 3 pounds per 100 square feet. For best results, apply in the fall or early spring. For further information, contact the manufacturer.



ACCEPTED

10-23-71
Comments

4381-288

WEED BLITZ

A Granular Non-Selective WEED AND GRASS KILLER

Apply Dry or as a Spray for
General Vegetation - Prepaving Treatment

ACTIVE INGREDIENTS:

Sodium Metaborate Tetrahydrate ($\text{Na}_2\text{B}_2\text{O}_7 \cdot 4\text{H}_2\text{O}$)	68.0%
[Boron Trioxide (B_2O_3) Equivalent 23.3%]	
Sodium Chlorate (NaClO_3)	30.0%
INERT INGREDIENTS	2.0%
TOTAL	100.0%

U. S. Patent No. 2,700,604
Other Patents Pending

WEED BLITZ is registered trademark of Pennwalt Corp.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Do not leave container where children or animals may take internally. Harmful if swallowed. Avoid contact with skin and clothing. Avoid contamination of feed and foodstuffs.

EPA Registration No. 4581-253

NET CONTENTS 50 POUNDS

SOLD BY

AGCHEM-DECCO DIVISION-PENNWALT CORPORATION

TACOMA, WASHINGTON MONROVIA, CALIF. PHILADELPHIA, PA.
OAK BROOK, ILL. BRYAN, TEXAS FRESNO, CALIF. BOSTON, MASS.

FOR USE UNDER ASPHALT PAVING: For use as a "prepaving" residual herbicide under asphalt paving to prevent premature breakdown of asphalt paving due to weeds, an application of 2 to 4 pounds per 100 square feet to the finished subgrade is recommended. For spray treatment dissolve 1 to 2 pounds per gallon of water and apply 2 gallons per 100 square feet. For dry treatment apply in granular form. After treatment apply at least 2 gallons of water per 100 square feet to dissolve and incorporate the herbicide in the soil.

IMPORTANT

This material is not selective in action and may be toxic to all types of vegetation and may render the entire treated area totally or partially unproductive for one or more years. Care should be taken to confine the use or application to the particular area intended to be treated and to avoid its contact with lawns, trees, shrubs, crops and other desirable plants which are not intended to be destroyed or injured. This includes precautions in treating areas which may be underlain by roots of adjacent valuable growths. Careless application of this material, or washing by runoff, to areas where desirable plants are growing or which will be used for later planting may result in injury to desirable plants. Do not drain or flush equipment on or over such areas. Do not store in contact with ground or concrete floors.

Do not contaminate domestic or irrigation water or waters used by fish and wildlife. Wash clothing and equipment after application. Keep animals off treated areas until rainfall has leached all the herbicide into the soil. Mechanical equipment should be thoroughly cleaned after use.

Burn or bury containers; never reuse. Stay out of smoke and fumes.

NOTICE

Pennwalt Corporation warrants that the product, conforming to the chemical description on the label, is fit for the purpose referred to and is sold as such for the purpose referred to. No other express or implied warranty, including any other express or implied warranty of FITNESS or MERCHANTABILITY, is made by Pennwalt Corporation. The user assumes all responsibility for the safe and proper use of the product.