MJ3 - 401 60

PROPOSED LABEL



elf atochem



A HARVEST AID FOR COTTON

Contains 0.52 lbs. Endothall* per gallon

ACTIVE INGREDIENT:

*7-combloyclo[2.2.1]heptane-2,3-dicarboxylic ecid equivalent 5.5%
**Alkyl groups as in fetty ecids of occurred oil

REEP OUT OF REACH OF CHILDREN PELIGRO DANGER

Si usted to entiende la stigueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail).

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Cell a physician.

IF ON SICIA, immediately flush with plenty of water for at least 15 minutes.

SWALLOWED, drink promptly ≤ large quantity of milk, egg whites, gelain solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately

NOTE TO PHYSICIAN: Probable mucosal demage may contrahidicate the use of guatric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See Side Panel for Additional Prepartionary Statements.

EPA Registration No. 4581-284

EPA Establishment No. 5905-GA-1

Net Contents:

Sold by:

ELF ATOCHEM NORTH AMERICA, INC.—AGCHEM DIVISION

2000 Market Street, Philadelphia, PA 19103

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AMD DOMESTIC ANIMALS) DANGER

CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES SKIN IRRITATION. MAY BE FATAL IF ABSORBED THROUGH SKIN. HARMFUL IF SWALLOWED OR INHALED. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

Personal Pretective Equipment

Applicators and other handlers must wear:

- . Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- . Protective evenues:
- Chemical-resistant headgest for everhead exposure
- . Chemical-resistant apron when cleaning equipment, mixing or loading
- Dust/mist filtering resolution (MISHA/NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materiels that have been drenched or feevily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Resemmendations:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clear clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Avoid contact with or drift to other crops, trees, or plants as injury may occur.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment wastrwaters.



rearest coccost timer on USTANDERS of Mediastron's Mentio Airl

AGRICULTURAL UBE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural posticides. It contains requirements for training, decontamination, notification, and emergency assistance, it also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- . Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

GENERAL INFORMATION

ACCELERATE is a liquid concentrate that when tank mixed with sodium chlorate type (containing suitable fire suppressants) or organic phosphate cotton defoliants causes a faster and more dependable leaf drop prior to hand picking or machine harvesting. The combination of ACCELERATE and sodium chlorate type or organic phosphate defoliants usually 'drops leaves in a green condition in approximately one-half the time of sodium chlorate type or organic phosphate defoliants without ACCELERATE. Under favorable defoliation conditions, satisfactory leaf drop will require 3-4 days; whereas, under adverse conditions, such as low temperatures, toughened plants or actively growing plants, it may be extended to 6-7 days. ACCELERATE is non-corrosive to metal and will not damage metal parts normally used in applying spray chemicals. Recommended rates of ACCELERATE used alone without sodium chlorate type or organic phosphate defoliants will not give satisfactory defoliation. Wash out sprayer immediately after use. Do not apply this product through any type of irrigation system.

Under normal conditions, apply the combination of ACCELERATE and sodium chlorate type or organic phosphate detollants when fiber quality of the top bolls will not be damaged by loss of the top leaves which feed these bolls (top bolls should be firm to thumb pressure or difficult to cut with a sharp knife). The combination of ACCELERATE and sodium chlorate type or organic phosphate defoliants will not damage the bolls directly or cause them to open prematurely. Ground machines should have at least 3 nozzles per row including one overhead nozzle and have pressure and speed adjusted to give fine droplets yet maintain the correct spray volume of 15 to 25 gallons per acre. For aerial application rates of 5-12 gallons of total spray should be used. Aerial applicators should fly as closely as possible to the plant tops and avoid application during the excessive temperatures of midday and when winds may cause drift to adjacent fields. If spraying is interrupted, be sure to start agitation before apraying is resumed.

Apply specified spray dosage par acre in recommended gallons of water to give thorough coverage to mature cotton when 50% or more of bolls are open. Applications can be made until frost.

BEST COPY AVAILABLE

APPLICATION RATES

Observe all cautions and limitations on labeling of all products used in mixtures.

ACCELERATE WITH ONGANIC PHOSPHATE DEFOLIANTS:

Under ideal defoliation conditions, tank mix with water 1 pint of organic phosphate defoliant with 11/2 pints of ACCELERATE per acre. Under adverse defoliation conditions, use 11/2 pints of ACCELERATE with an increased rate, up to the maximum label rate, of organic phosphate defoliant. Always add ACCELERATE to organic phosphate defoliants previously tank mixed with water. Do not mix together without water. Be sure mixing tank is clean because residues of insecticides may cause curdling.

ACCELERATE WITH SODIUM CHLORATE TYPE DEFOLIANTS:

Under ideal defoliation conditions, tank mix 1 pint of ACCELERATE with label recommended rate of sodium chlorate type defoliants per acre. Under adverse defoliation conditions, increase rate of ACCELERATE to 11/a pints per acre.

COMPATIBILITY: ACCELERATE Cotton Harvest Aid is compatible with Arsenic Acid, Bolls-Eyee, Cyclonee. DEPe, Droppe, Folexe, Harvadee, Paraquet, Prepe, Sodium Chlorate, and Startiree, and may be applied in sequence or as a tank mixture. Good agitation in the spray tank is essential and a tank mixture should not be allowed to stand without agitation for more than 5 to 10 minutes. ACCELERATE should be added last to avoid excessive foaming. Read and observe all appropriate label use directions and precautions for the defolients used.

Bolis-Eye® is a trademark of Vertso Chemical Corp.; Cyclone® is a trademark of Zeneca, Inc.; DEF® is a trademark of Miles, Inc.; Dropp® is a trademark of NOR-AM Chemical Co.; Polex® is a trademark of Rhone-Poulenc, Inc.; Harvade® is a trademark of Univoyat Chemical; Prep® is a trademark of Rhone-Poulenc, Inc.; Starfire® is a trademark of Zeneca, Inc.

STORAGE AND DISPOSAL

Do not contaminate water, food, of feed by storage or disposal.

Storage Instructions: Store in the original container. Do not store in a manner where cross-contamination with other posticides, fertilizers, food or feed could occur. In the event of spiliage during handling or storage, absorb with sand or other inert material and dispose of absorbent in accordance with the Posticide Disposal Instructions listed below.

Pesticide Disposal Instructions: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal Instructions: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND DISCLAUSTER

EH Alochem North America warrants that this majoral conforms to the chamical description on the sidel and in responsibly in for the purposes retained to in the Directions for use, subject to the ricks interned to therein. ELF ATOCHEM MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY. IN INO CASE SHALL ELF ATOCHEM OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESUlting FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING. BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST; OR OTHER EXPENSES INCURRED IN PLANTING ON HARVESTING.

EX Atochem and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of EX Atochem.

5-02015-02 C4 (1/pts) WPS

Mede and Printed in U.S.A

(5/55)