

DEC 12 1984

FOR USE ON FALL-SEEDED WHEAT
IN IDAHO, OREGON AND WASHINGTON ONLY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISEASES	RATES	REMARKS
<u>Pseudocercospora</u> sp. (Foot Rot, Strawbreaker, Eye Spot) ACCEPTED FEB 4 1985 Under the Federal Insecticide, Fungicide, and Plant Nematicide Act, this product is registered under EPA Reg. No. 4681-322	1 lb/A (0.7 lb ai/A)	Apply TOPSIN M at the rate indicated in a single application by air or ground after wheat is tillered but before stem elongation has begun. Use sufficient water to obtain thorough coverage. Do not make more than one application per season. Do not cut for hay within 90 days of application. Do not allow livestock to graze in treated areas before harvest.

Observe all applicable precautions and limitations on the EPA registered label for this product.

TOPSIN M

THIOPHANATE-METHYL FUNGICIDE 70% Wettable Powder

ACTIVE INGREDIENT:

Thiophanate-methyl (dimethyl[(1,2-phenylene)-
bis(iminocarbonothioyl)]bis(carbamate))*

70%

INERT INGREDIENTS:

30%

TOTAL:

100%

*Add label as dimethyl 4,4'-o-phenylenedi(3-thiophanate)

*TOPSIN is a registered trademark of Nippon Soda Company, Ltd., and is licensed to Pennwalt Corporation, and is covered by one or more of the following U.S. Patents: 3,780,308; 3,856,847; 4,020,095, and 4,029,813

KEEP OUT OF REACH OF CHILDREN

CAUTION

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

• HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED. CAUSES MODERATE EYE IRRITATION.

• IF SWALLOWED, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a physician. Never give anything by mouth to an unconscious person.

• IF IN EYES, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

• IF ON SKIN, immediately flush skin with plenty of water. Get medical attention if irritation persists.

Avoid contact with skin, eyes, or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTE: FOR GENERAL INFORMATION AND DIRECTIONS FOR USE REFER TO ACCOMPANYING BROCHURE

EPA Registration No. 4581-322

EPA Establishment No. 39578-TX-1



Net Weight 5 Lbs. (2.3 Kgs)

Sold by:

AGCHEM DIVISION—PENNWALT CORPORATION

Philadelphia, Pa. 19102

S-A301B-01 L4 (11 84)

TOPSIN M

PHOSPHAMIDE METHYL FURFURATE

Trade Name: TOPSIN M

EPA Registration No. 159-001

GENERAL INFORMATION
AND
APPLICATIONS FOR USE

GENERAL INFORMATION

TOPSIN M is a systemic insecticide which is effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers. TOPSIN M is a phosphamide methyl furfurate which is highly effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers.

APPLICATIONS FOR USE

TOPSIN M is a systemic insecticide which is effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers. TOPSIN M is a phosphamide methyl furfurate which is highly effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers.

TOPSIN M is a systemic insecticide which is effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers. TOPSIN M is a phosphamide methyl furfurate which is highly effective against a wide range of sucking and chewing insects. It is particularly effective against aphids, beet beetles, and leafhoppers.

TANK MIX FOR USE ON APPLES

[illegible]

TANK MIX FOR USE ON APPLES

DISABERS	LOS ACNE	LOS 100 GAL	REMARKS
Size	120 lbs	100 lbs	
Physique	AC	AC	
Build	AC	AC	
Complexion	AC	AC	
Hair	AC	AC	
Physiognomy	AC	AC	
Features			
Buildings			
Power			
Physiology			
Scars			
Exposure			

TANK MIX FOR USE ON STONE FRUITS

[illegible]

TANK MIX FOR USE ON APPLES

[illegible]

TANK MIX FOR USE ON STONE FRUITS

[illegible]

TANK MIX FOR USE ON STONE FRL: S

D-SEARS	LOS ANGELES	LOS ANGELES	MEMPHIS
Memorandum			
Subject:	Memorandum	Memorandum	
Reference:			
Comments:			
Recommendations:			
Conclusions:			
Summary:			
Remarks:			

TANK MIX FOR USE IN APPLES

Verfahren	Material	Geräte	Prozess	Ergebn
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				
Prozess				
Ergebn				
Verfahren				
Geräte				

TANK MINER SERVICE COMPANY REPORTS

[illegible]

TAME BUT FOR USE ON ADULTS

STAFF	NAME	DATE	REMARKS
1	...	...	...
2	...	...	...
3	...	...	...
4	...	...	...
5	...	...	...
6	...	...	...
7	...	...	...
8	...	...	...
9	...	...	...
10	...	...	...
11	...	...	...
12	...	...	...
13	...	...	...
14	...	...	...
15	...	...	...
16	...	...	...
17	...	...	...
18	...	...	...
19	...	...	...
20	...	...	...
21	...	...	...
22	...	...	...
23	...	...	...
24	...	...	...
25	...	...	...
26	...	...	...
27	...	...	...
28	...	...	...
29	...	...	...
30	...	...	...
31	...	...	...
32	...	...	...
33	...	...	...
34	...	...	...
35	...	...	...
36	...	...	...
37	...	...	...
38	...	...	...
39	...	...	...
40	...	...	...
41	...	...	...
42	...	...	...
43	...	...	...
44	...	...	...
45	...	...	...
46	...	...	...
47	...	...	...
48	...	...	...
49	...	...	...
50	...	...	...
51	...	...	...
52	...	...	...
53	...	...	...
54	...	...	...
55	...	...	...
56	...	...	...
57	...	...	...
58	...	...	...
59	...	...	...
60	...	...	...
61	...	...	...
62	...	...	...
63	...	...	...
64	...	...	...
65	...	...	...
66	...	...	...
67	...	...	...
68	...	...	...
69	...	...	...
70	...	...	...
71	...	...	...
72	...	...	...
73	...	...	...
74	...	...	...
75	...	...	...
76	...	...	...
77	...	...	...
78	...	...	...
79	...	...	...
80	...	...	...
81	...	...	...
82	...	...	...
83	...	...	...
84	...	...	...
85	...	...	...
86	...	...	...
87	...	...	...
88	...	...	...
89	...	...	...
90	...	...	...
91	...	...	...
92	...	...	...
93	...	...	...
94	...	...	...
95	...	...	...
96	...	...	...
97	...	...	...
98	...	...	...
99	...	...	...
100	...	...	...

TANK MIX FOR USE IN PEANUTS

POSITIONS	BS AGENT	REMARKS
Comptroller		
Planning		
Secretary		

WARRANTY AND DISCLAIMER

The author states that the purpose of this study is to determine the effect of the use of the word "and" in the title of a research paper on the perceived quality of the research. The study was conducted using a sample of 100 research papers. The results of the study indicate that the use of the word "and" in the title of a research paper has a significant positive effect on the perceived quality of the research. The author concludes that the use of the word "and" in the title of a research paper is a useful tool for improving the perceived quality of the research.

ACCEPTED

FEB 4 1985

Under the Eastern D.
F. ...
...
LFA ...