

4581-377

PM-21

5-12-98

T42



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

MAY 12 1998

Rebecca A. Clemmer
Manager, Product Registration
Elf Atochem North America, Inc.
2000 Market Street, 21st Floor
Philadelphia, PA 19103

SUBJECT: Review of Supplemental Labels

TOPSIN® M 70W

EPA Reg. No. 4581-322

✓ TOPSIN® M WSB

EPA Reg. No. 4581-377

Your Submissions Dated February 9, 1998

Dear Ms. Clemmer:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, are acceptable subject to the following condition:

Add the following statement as the first sentence in the "Note" section:

"Observe all applicable precautions and limitations on the Federal label, except as described above."

Stamped copies are enclosed for your records. Please submit one (1) copy of each of your final printed labeling before you release the products for shipment.

If you have any questions, then please contact Terri Stowe of my staff at (703) 305-6117.

Sincerely,

A handwritten signature in cursive script that reads "Mary L. Waller".

Mary L. Waller
Acting Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosures

elf atochem
ATO

Supplemental Label

PROPOSED LABEL

2 of 2

TOPSIN® M WSB (EPA Registration No. 4581-377)

REVISED DIRECTIONS FOR USE ON STRAWBERRIES

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISEASES	RATE LBS/A	REMARKS
Fruit Rot (<i>Botrytis</i> sp.) Leaf Blight (<i>Dendrophoma</i> sp.) Leaf Scorch (<i>Diplocarpon</i> sp.)	3/4-1	Begin applications at early bloom and continue at 7- to 10-day intervals. Use the higher rate East of the Rocky Mountains and under conditions of severe disease pressure. Do not apply more than 2.8 lb ai (4 lbs product) per acre per year. Pre-harvest interval: 1 day. Resistance Management: TOPSIN M WSB should not be used alone. Another non-benzimidazole fungicide should be used with TOPSIN M for disease resistance management.

This label contains restrictions on the amount of product which may be applied in a year which
supercede those on the Federal label.

Note: This label and the Federally registered label must be in the possession of the user at the time
of pesticide application.

1/98

ACCEPTED
with **COMMENTS**
In EPA Letter Dated
MAY 12 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
4581-377