SEP 17 1998

Mr. Van Banks Elf Atochem North America, Inc. 2000 Market Street, 21st floor Philadelphia, PA 19103-3222

Dear Mr. Banks:

Subject: Amendment- Delete Nursery & Commercial Landscape Uses (split out to new product KNOX-OUT NL)

KNOX-OUT GH

EPA Registration Number 4581-379

Your FAX submission dated September 16, 1998

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

- 1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product; for shipment bearing the amended labeling:
 - a) The AGRICULTURAL USE REQUIREMENTS and THE NON-AGRICULTURAL USE REQUIREMENTS should each appear in a separate outline box.
 - b) In the NON-AGRICULTURAL USE REQUIREMENTS, add "Do not allow children or pets to go onto treated areas or to contact treated surfaces until spray has dried."
- c) Under the heading General Imformation, in the second sentence revise "in greenhouse, interiorscapes" to "in greenhouses and interiorscapes". Revise the third sentence to read "Do not apply to food crops (fruits, nuts, or vegetables).".

- d) In the Indoor Use Precautions, revise "Do not apply to food crops grown in greenhouses." to "Do not apply to food crops.".
- e) After the listing of ornamental plants and the phytotoxicity paragraph, delete the heading Precautions and its associated text (this was a holdover, which was actually the outdoor use precautions, from the inadvertently added outdoor uses which you have now deleted).
- 3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide/Rodenticide Branc Registration Division (7505C)

with COMMENTS in EPA Letter Dated

SEP 1 7 1998

elf atochem **ATO**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4581-379

SHAKE WELL BEFORE USING

KNOX OUT® GH

Flowable Microencapsulated Insecticide

For Use in Greenhouses, Interiorscapes, This product must not be used on golf courses or sod farms.

	*-	
ACTIVE INGREDIENT:		
Diazinon: O,O-Diethyl O-	(2-isopropyl-6-	
methyl-4-pyrimidinyl) pho	osphorothoate	23.0%
INERT INGREDIENTS.		
	TOTAL	100.0%
Consiss 2 years decision pergillos. US peter	=1,C3,E7,e43,57,575	

Contests: __fi oz

EPA Establishment No.

Sold by Elf Atochem North America, Inc. Agahera Divison 2000 Market St., Philadelphia PA 19103

KNOX OUT GH, 8/19/97

EPA Registration No. 4581-379

Keep Out Of Reach Of Children CAUTION

FIRST AID ORGANOPHOSPHATE

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF ON SKIN: Remove contaminated clothing immediately and wash skin with soap and water.

IF IN EYES: Wash thoroughly with water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: The active ingredient of KNOX OUT GH is an organophosphate cholinesterase inhibitor. Atropine is antidotal only if symptoms of cholinesterase inhibition are present. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Morphine is contraindicated.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing apray mist. Use only in well ventilated areas. Wash thoroughly with soap and water after handling and before eating or smoking. Keep out of reach of children. Do not allow children or pets to contact treated surfaces until spray has dried. Do not apply to humans or pets. Cover fish tanks prior to application. Do not contaminate food, foodstuffs, or water supply. Food utensils, such as spoons or measuring cups, must not be used for food purposes after use in measuring pesticides. Do not sprzy where electrical short circuits might result, such as wall outlets, conduits, switch boxes, or motor housings.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, shoes, plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of

equipment or when disposing of equipment washwaters. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container only, preferably in a locked storage area. Do not store in a manner where cross contamination with other pesticides, fertilizer, food or feed could occur. If spilled during storage or handling, soak up spillage with absorbent material and dispose of in accordance with Pesticide Disposal instructions listed below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse container, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof, gloves, and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

KNOX OUT GHL 8/19/97

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, surscries, or greenhouses.

GENERAL INFORMATION

KnoxOut GH is a flowable micro-encapsulated formulation containing 2 pounds diazinon per gallon.

It is to be used for pest control of ornamental plants in greenhouses, interiorscapes. Do not apply to vegetables.

Due to its controlled-release nature, KnoxOut GH gives excellent residual kill of the pests listed on this label; however, effective knockdown may take up to 24 hours after application. Thoroughly wash out spray equipment before using KnoxOut GH. Shake concentrate well before diluting. Do not apply this product through any type of irrigation system. When diluting, first add approximately half of the water to the spray tank, then add the required quantity of KnoxOut GH, and finally add the rest of the water. Occasionally agitate sprayer during use to assure even coverage. Shake or re-agitate sprayer before use if application is interrupted. Do not use this formulation with oil adjuvants such as crop oil, dormant, or horticultural oils. IF SPRAY SCREENS ARE USED, THEY SHOULD BE 50 MESH OR LARGER.

ORNAMENTAL APPLICATIONS

GREENHOUSE and INTERIORSCAPE

Use in greenhouses is covered by the requirements of the Worker Protection Standard, 40 CFR part 170. See specific instructions on this label for protective clothing and other requirements under that Standard.

Indoor Use Precautions: Apply only in well-ventilated areas. Do not apply when occupants are present in the immediate area. Cover fish tanks prior to application. Do not spray where electrical short circuits might result, such as wall outlets, conduit, switch boxes, or motor housings. Apply to ornamental plants only. Do not apply to food crops grown in greenhouses.

Ornamental Pests

For control of Aphids, Fungus Gnat Larvae, Leafminers, Mealybugs (Carus, Stem and Root), Mites, Scale Insects, Thrips and White Fly (suppression). Apply KnoxOut GH to the ornamentals listed on this label at a rate of 1/2 to 1 fl oz per gallon of water (3-6 pints/100 gallons). One tablespoon = 1/2 fl oz. Treat when insects appear. Use the higher rate for heavy infestations. For improved knockdown of heavy infestations, apply as a tank mix or separate spray with a pyrethroid or other fast acting material. Repeat applications as necessary at 21 - 28 day intervals or earlier depending on pest response and watering practices.

For Foliar Application: Apply KnoxOut GH as a full coverage spray until drip for the control or suppression of the following stem and foliage insects: Aphids, Leafminers, Mealybugs (Citrus, Stem.

KNOX OUT GH, 8/19/97

and Root), Mites, Scale insects, Thrips and White Fly. A nonionic spreader may be used on hard to wet surfaces and to reduce the appearance of residue, A sticking agent is not recommended as it may interfere with product release characteristics and reduce effectiveness.

For Soil Application: Apply KnoxOut GH as a directed heavy spray or light drench into the upper 1 inch of soil or growing media for the control of the following pests: Fungus Gnat larvae and Shore Fly larvae. This product may also be used as an under-the-bench spray for control of these pests. Apply in a similar fashion and use with a program of sanitation and alternate host control to limit habitat. Ornamental Plants - For use on herbacious and woody ornamental plants, annuals and perennials such as but not limited to:

African Violets - Saintpaulia spp.

Agapanthus sop.

Ageratum spp.

Almond (non-bearing) - Prumus spp.

Aluminum Plant - Pilea cadierei

Alyssum spp.

Arrowhead - Sagittaria ssp.

Azalea - Rhodendron spp.

Baby's Breath Gyp - Gypsophila spp.

Balsam - Impatiens balsamina

Begonia spp.

Bird's Nest Fern - Asplenium nitus

Boston Fern - Nephrolepis exaltata

Bottlebrush - Callistemon spp.

Cactus - spp.

Camellia spp.

Carnation - Dianthus spp

Cherry (non-bearing) - Prunus spp.

Chrysanthemum spp.

Cockscomb - Celosia spp.

Coleus spp.

Cotoneaster spp.

Crape Myrtle - Lagerstroemia indica

Croton - Codiacum variegatum

Leyland Cypress - Cupressus leylandii

Daisy - Bellis perennis

Dogwood - Cornus spp.

Escallonia spp.

Euottymus spp.

Fir - Abies spp.

Firethorn - Pyracantha spp.

Floss Flower - Ageratum conyzoide

Friendship Plant - Pilea involucrata

Gardenia spp.

Gazania spp.

Geranium spp.

Gladiolus spp.

Gold Dust - Acacia acinacea

Good Luck Plant - Cordyline terminalis

Holly - Ilex spp.

Honeylocust - Gleditsia spp.

Honeysuckle - Lonicera spp.

Hydrangea spp.

Impatiens spp.

Ivy - Hedera sop.

Jade Plant - Crassula argentea

Japanese Aralia - Dizygotheca spp.

Juniper - Juniperus spp.

Leucothoe spp.

Lilac - Syringa spp.

Lily - Lilium spp.

Malus spp.

Maranta spp.

Marigold - Tagetes spp.

Nandina spp.

Oleander - Nerium oleander

Orchid

Osmanthus spp.

Pachysandra spp.

Pansy - Viola spp.

Peach (non-bearing) - Prunus spp.

Periwinkle - Vinca spp.

Petunia spp.

Pine - Pinus spp.

Pineapple Guava - Psidium guajava
Pittosporum spp.

Plane tree - Platanus occidentalis
Podocarpus spp.

Poinsettia - Euphorbia pulcherrima
Pot Marigold - Calendula spp.

Primrose - Primula spp.

Privet - Ligustrum spp.

Raphiolepsis spp.

Rhododendron spp.

Rose - Rosa spp.

Scarlet Sage - Salvia spp.

Sedum spp.

Shasta Daisy - Chrysanthemum maximum

Snake Plant - Sansevieria trifasciata
Snapdragon - Antirrhinum majus
Spider Plant - Chlorophytum comosum
Spruce - Picea spp.
Star Jasmine - Jasminum spp.
Strawflower - Acroclinium spp.
Tahitian Bridal Veil - Gibasis pellucida
Velvet Plant - Gynura aurantiaca
Verbena spp.
Vinca spp.
Vinca spp.
Wandering Jew - Tradescantia albiflora
Wax Plant - Hoya carnosa
Yellowwood - Cladrastis lutea
Zinnia spp.

KnoxOut GH has demonstrated excellent plant safety; even so, all varieties of plants have not been fully tested. When treating large numbers of plants of a single variety, or when treating material not specifically listed above, spray a few plants and observe for phytotoxicity prior to full scale application. Wait 5-7 days after treatment to evaluate trial results. KnoxOut GH will not control some organophosphate resistant ornamental plant pests. Do not use on Bella Palm, Dracaena, Hoya (except as noted above), Maidenhair Fern, Neath, and Prayer Plant.

Precautions: Wear a long-sleeved shirt and long-legged pants when spraying. Spray with the wind to your back. Do not spray on windy days. If clothing becomes wet from spray during use, remove clothing after spraying. Wash affected body areas thoroughly with soap and water, and launder clothing before wearing again. Do not apply this product through any type of irrigation system. This product is highly toxic to bees exposed to residue left on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area. Birds, especially water fowl, feeding or drinking on treated area may be killed. Do not apply this product on lawns. Do not exceed maximum permitted label rates since rates above those recommended significantly increase potential hazards to birds. Avoid overlapping of sprays.

WARRANTY AND DISCLAIMER

Elf Atochem North America warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. ELF ATOCHEM MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL ELF ATOCHEM OR SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS

OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST; OR OTHER EXPENSES INCURRED IN PLANTING OR HARVESTING.

Elf Atochem and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of Elf Atochem.

KNOX OUT GH, 8/19/97