


PLEASE NOTE

This image contains more than one label approved for this product on this date.



cerexagri



Supplemental Label

TOPSIN[®] M 70WP

Thiophanate-methyl Fungicide
EPA Registration No. 4581-403

DIRECTIONS FOR USE ON CUCURBITS

Cucumbers, Melons, Pumpkins, Summer and Winter Squash

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISEASES	RATE, LB. PRODUCT/ACRE	INSTRUCTIONS
Acremonium/Cephalosporium Hypocotyl Rot	½	Apply in-furrow, on top of the seeds at planting. Do not use less than 10 gallons of water per acre.
Anthracnose* (<i>Colletotrichum</i> sp.) Gummy Stem Blight* (<i>Didymella</i> sp.) Powdery Mildew (<i>Erysiphe</i> sp.) Target Spot* (<i>Corynespora</i> sp.)	¼ to ½ for ground applications OR ½ for aerial applications	Begin applications when plants begin to run or when disease first appears, and repeat at 7-14 day intervals or as needed. For Target Spot, use at 7-day intervals as needed.
Belly Rots* (<i>Rhizoctonia/Fusarium</i> sp.)	½	Apply in sufficient volume to allow runoff to the soil. Will not control <i>Pythium</i> sp.
Suppression of Vine Decline (<i>Monosporascus cannonballus</i>) Charcoal Rot (<i>Macrophomina</i> sp.)	½	Apply through buried drip irrigation (chemigation) to the root zone. For disease suppression, apply at 14-day intervals, beginning at emergence and continuing to harvest. Applications weekly or biweekly, beginning 4-6 weeks prior to harvest will also offer suppression, but may not be as effective as a season-long program.

Do not apply more than 3 lbs. product (2.1 lbs. a.i.) per season from any combination of application timings.

*Not for this use in California

For crops without labeled uses of thiophanate-methyl, observe a 30-day plantback restriction.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

NEXT

LABEL

4581-403

10/24/2002

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Rebecca Clemmer
Manager, Product Registration
Cerexagri, Inc.,
King of Prussia, PA 19406

OCT 24 2002

Dear Ms. Clemmer:

SUBJECT: Topsin M 70W
 EPA Registration Number 4581-403
 Your label amendment submitted October 30, 2001

The supplemental label for onions, referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable provided that this supplemental label is to be incorporated into the main label within 18 months or at the next label printing, whichever comes first, and provided that you make the following change:

Change the phrase "Revised Use Directions for Onions" to "Use Directions for Onions".

Under "Instructions" replace "Topsin M" with "Topsin M 70WP".

Please submit one copy of your final printed labeling before you release the product for shipment. A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Lisa Jones of my staff by phone at (703) 308-9424 or by e-mail at jones.lisa@epa.gov.

Sincerely,



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosure: Stamped Supplemental Label

CONCURRENCES							
SYMBOL ▶	7505C						
SURNAME ▶	Lisa Jones						
DATE ▶	Oct 24, 2002						



cerexagri

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
OCT 24 2002**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

4581-403

TOPSIN[®] M 70WP

Thiophanate-methyl Fungicide

EPA Registration No. 4581-403

REVISED DIRECTIONS FOR USE ON ONIONS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Diseases	Lbs. product/acre	Instructions
White Rot (<i>Sclerotium sp.</i>)	2 broadcast	Apply TOPSIN M at the time of planting seed, sets, or bulbs. Not for this use through any type of irrigation system.

For crops without labeled uses of thiophanate-methyl, observe a 30-day plantback restriction.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

This label and the Federally registered label must be in the possession of the user at the time of pesticide application.