


LYNDE CHLORDANE EMULSIFIABLE CONCENTRATE 45%

PCO GRADE

CONTAINS 4 lbs. of Chlordane per gallon.

| | |
|---|-------|
| DILUTE WITH WATER TO MAKE A RESIDUAL ROACH SPRAY | |
| ACTIVE INGREDIENTS | 87% |
| Technical Chlordane* | 44.1% |
| Petroleum distillate | 42.9% |
| INERT INGREDIENTS | 13.0% |
| *Equivalent to 26.4% octachloro-4,7-dimethyl-2,3,4,6-tetrahydroindane and 17.7% of related compounds. | |

Handwritten mark



DIRECTIONS

Mix readily with water. To prepare a 2% solution, add one part Concentrate to 13 parts of water and agitate thoroughly. Spray thoroughly on cracks and crevices where the roaches come in contact with roaches, covering surfaces evenly. The application should be repeated as often as necessary to maintain an effective deposit.

CONVERSION TABLE

1 gallon of finished emulsion -
 5 gal. 50 gal.
 1 lb. Chlordane Emul. Conc.
 27 fl. oz. 27 fl. oz. 8 1/4 qt.

Wash thoroughly before using.
 Do not use in dairy barns. Use only as a "roach treatment" in non-food processing areas.

CAUTION

Do not use on feed and bedding. Store in cool place. Do not use on flame.

Use only on rats, mice or other rodents.

Do not use on cats and dogs. Do not use on birds. Do not use on fish. Do not use on treated surfaces.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See left page for additional instructions.

HARVESTING INSTRUCTIONS: Do not harvest crops for 30 days after application. Do not use on crops intended for human consumption. Do not use on crops intended for animal consumption. Do not use on crops intended for export. Do not use on crops intended for processing. Do not use on crops intended for storage. Do not use on crops intended for sale. Do not use on crops intended for distribution. Do not use on crops intended for export. Do not use on crops intended for sale. Do not use on crops intended for distribution.