

INSTRUCTIONS

1. Mix 1 part of concentrate to 4 parts of water.

Apply a thin strip of insecticide fog around the perimeter of area to be treated approx. 1/2 in. Before infiltration of mosquitoes (as well as ticks). Follow with fog applicator along perimeter at 1/2 ft. intervals with the direction of prevailing wind direction. Air must be relatively still to maintain desired fog pattern as only partial control is obtained when wind is blowing over six miles per hour. Repeat as often as necessary.

This product is toxic to fish. Keep spray out of lakes, streams and ponds. Snails and crabs may be killed at application rates recommended on this label. Keep children and pets off treated areas until this material has been thoroughly dried. Keep out of reach of domestic animals. Avoid spraying on vegetable and garden crops. Do not apply to food crops. Do not use in areas where children and pets are present. Avoid contact with eyes, nose, mouth and skin. Wash thoroughly with soap and water after use. Do not use in areas where children and pets are present. Do not use in areas where children and pets are present.

Contains Baytex and Lethane

For Outdoor Control of Adult Mosquitoes Using Thermal Fog Units.

Contains Lethane for fast knock-down and Baytex for high kill of such insects in Driveway Theatres, Resorts, Golf Ranges, Amusement Parks, Camps, Recreational Areas, Municipalities, Mosquito Control Districts and Similar Outdoor areas

ACTIVE INGREDIENTS.....	100%
Petroleum Hydrocarbon.....	80.00%
Beta-butoxy beta'-thiocyano diethyl ether.....	20.00%
O,O-Dimethyl O-(4-(methylthio)-m-tolyl) phosphorothioate.....	10.00%

O,O-Dimethyl O-(4-(methylthio)-m-tolyl) phosphorothioate

Baytex-Reg. TM Chemagro Corp.  
Lethane-Reg. TM Rohm & Haas Corp.

**CAUTION**  
KEEP OUT OF

See left Panel for Additional Cautions.

**REACH OF CHILDREN**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid prolonged breathing of fog. Avoid contact with skin. Do not get in eyes, on skin or on clothing. In case of contact, remove contaminated clothing--for eyes, flush with plenty of water and get medical attention. Use waterproof gloves when handling the concentrate.

THE LYNDE COMPANY  
801 HUBBARD AVE  
ST. PAUL, MINN.

Antidote: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

4591-51