

DEARCIDE[®] 705

A BACTERIOSTAT AND ALGAEICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS IN INDUSTRIAL AND COMMERCIAL RECIRCULATING WATER COOLING TOWERS AND EVAPORATIVE CONDENSERS

Active Ingredient: N-Octadecenyl-1,3 Propanediamine Monogluconate 26.1%
Inert Ingredients: 73.9%

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container. Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in a landfill approved for pesticide containers or bury in a safe place.) Consult Federal, State or Local disposal authorities for approved alternative procedures.

ACCEPTED
JUN 12 1981
4643-9

DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING.

INITIAL DOSE: When microbiological slimes are evident, apply 13.2 to 26.4 fluid ounces of DEARCIDE 705 per 1000 gallons (100 to 200 ppm of product) of water in the system. Repeat until control is achieved. Badly fouled systems should be cleaned before treatment is begun.

SUBSEQUENT DOSE: When microbiological control is evident, apply 13.2 to 20 fluid ounces of DEARCIDE 705 per 1000 gallons (100 to 150 ppm of product) of water in the system once per week, or as needed to maintain control.

FEEDING: DEARCIDE 705 should be fed at full strength in the cooling tower sash at a minimum of maximum water flow rate. Wet the sashes thoroughly to permit a retention time of 4 hours.

DANGER:

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Causes eye damage or skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Water treated with DEARCIDE 705 should not be used for food processing, irrigation or in the manufacture of paper used for food packaging.

STATEMENT OF PRACTICAL TREATMENT
FIRST AID

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Probably mucosal damage may result from the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

ENV
to file
water
guid

NOTICE:
descripti
when us
of use, b
CHANTA
press or
instructi
reasonat
such use

DEARCIDE[®] 705

A BACTERIOSTAT AND ALGAEICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS IN INDUSTRIAL AND COMMERCIAL RECIRCULATING WATER COOLING TOWERS AND EVAPORATIVE CONDENSERS

Active Ingredient: N-Octadecenyl-1,3 Propanediamine Monogluconate 26.1%
Inert Ingredients: 73.9%

EPA Reg. No. 4643-9
EPA Est. No. 4643-IL-1

Net Weight - 243 lbs. (30 gallons)
445 lbs. (55 gallons)

KEEP FROM FREEZING
AGITATE BEFORE USING

Do not contaminate
Open dumping is
empty container.
or chemically
approved for
away from water
containers and, for
conditioning (for
approved for
place.) Consult
for approved al-

ACCEPTED

JUN 2 1981

DANGER:
KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Causes eye damage or skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Water treated with DEARCIDE 705 should not be used for food processing, irrigation or in the manufacture of paper used for food packaging.

STATEMENT OF PRACTICAL TREATMENT
FIRST AID

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Probably mucousal damage may contraindicate the use of dastri. Measure against circulatory shock, respiratory depression and convulsions may be needed.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with the NPDES permit. For guidance contact your Regional Office of the EPA.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

E
L LAW
ANNER
ELING.

evident apply 13.2
gallons (100 to 200
at until control is
before treatment

ontrol is evident
1000 gallons (100
e per week or as

strength in the
ulation. Tower
centration of 4

d DEARBORN CHEMICAL (U.S.)
CHEMED CORPORATION

300 GENESEE STREET • LAKE ZURICH, ILLINOIS 60047