STORAGE AND DISPOSAL: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTE. Apply this product only as specified on the label. Do not reuse empty drum. Rinse thoroughly with water and return to drum conditioner, or destroy.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING.

DEARCIDE 722 is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of DEARCIDE 722 per 1000 gallons of water, to provide a concentration of 32 to 80 parts per million DEARCIDE 722 based on the total weight of water in the system is recommended. Repeat until control is achieved. Subsequent slug additions of 1.0 to 10.0 fluid ounces of DEARCIDE 722 per 1000 galloris of water (8 to 80 parts per million of DEARCIDE 722) should be employed every two to five days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the microbiological problem. See Product Bulletin 52-722. Slug additions should be made in the sump of cooling towers.

DEARCIDE 722

BACTERIOSTAT AND ALGAECIDE FOR THE CONTROL OF MANY BIO-FOULING ORGANISMS OCCURRING IN OPEN RECIRCULATING WATER COOLING TOWERS

CAUTION FOR INDUSTRIAL USE ONLY KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin and eyes. In case of eye contact, flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

á

8).,

DEARCIDE 722

BACTERIOSTAT AND ALGAECIDE FOR THE CONTROL OF MANY BIO-FOULING ORGANISMS OCCURRING IN OPEN RECIRCULATING WATER COOLING TOWERS

Active Ingredient:	
Poly (oxyethylene (dimethyliminio) ethylene	
(dimethyliminio) - ethylene dichloride)	15.0%
Inert Ingredient:	
Weight per gallon	
Weight of active ingredient per gallon	
-	

CAUTION FOR INDUSTRIAL USE ONLY KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin and eyes. In case of eye contact, flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

NOTE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied,

extends to the use of the product contrary to label instruc-

tions or under abnormal conditions, or under conditions not

reasonably foreseeable to seller and buyer assumes the risk

of any such use.

225 lbs. (30 gallons)

EPA Reg. No. 4643-15 EPA Est. No. 4643-1L-1

Not Weight - 467 lbs. (55 gallons)

ACCEPTED
4643-15
APR 8 1980

UNDER THE FEDERAL ACTIONS
FOR ECONOMIC ACTIONS
FOR ECONOMIC ACTIONS
TO UNDER NO.

DEARBORN CHEMICAL (U.S.)
*CHEMED CORPORATION

300 GENESEE STREET . LAKE ZURICH, ILLINOIS 60047

ILLINOIS GI

ingiling
move
An
IDE
on of
otal
until
10.0
er (8
en be
ncy
and
betin

lo of

lic.

N.

Έ.

Σţ