DEARCIDE® 701

OXIDIZING MICROBICIDE

A:BACTERLOSTAT AND ALGICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS (FACTERIA AND ALGAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING COOLING TOWERS.

4/2-1-	
COURT THE FEDERAL INSECTICIDE OF LEICHDE ACT OF LEICHDE ALL POLEON REGISTERS OF UNDER NO. 100	
41643-18	-

ACTIVE INGREDIENTS: POTASSIUM BISULFATE..... 9.35% INERT INGREDIENTS..... 67.75%

NOTE: ACTIVE OXYGEN 2.25% BY WEIGHT

BULK DENSITY - 87 POUNDS/CUBIC FOOT

DIRECTIONS FOR USE: INITIAL DOSE: WHEN MICROBIOLOGICAL SLIMES ARE EVIDENT, APPLY 24.8 TO 37.2 OUNCES AV. OF DEARCIDE® 701 PER 1000 GALLONS (200 PPM TO 300 PPM) OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED. BADLY FOULED SYS-TEMS SHOULD BE CLEANED BEFORE TREATMENT IS BEGUN. SUBSEQUENT DOSE: WHEN MICROBIOLOGICAL CONTROL IS EVIDENT, APPLY 12.4 TO 24.8 OUNCES AV. OF DEARCIDE® 701 PER 1000 GALLONS (100 PPM TO 200 PPM) OF WATER IN THE SYSTEM ONCE PER WEEK, OR AS NEEDED TO MAINTAIN CONTROL. FEEDING: DEARCIDE® 701 SHOULD BE FED AT FULL STRENGTH IN THE COOLING TOWER BASIN AT A POINT OF MAXIMUM WATER CIRCULATION. TOWER BLEEDOFF VALVES SHOULD BE CLOSED TO PERMIT A RETENTION TIME OF 4 HOURS.

WARNING: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

MAY CAUSE EYE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUB-BER GLOVES WHEN HANDLING. COULD BE HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WATER TREATED WITH DEARCIDE® 701 SHOULD NOT BE USED FOR FOOD PROCESSING, IRRIGATION OR IN THE MANUFACTURE OF PAPER USED FOR FOOD PACKAGING. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL. STORE IN A COOL, DRY PLACE.

DO NOT REUSE EMPTY DRUM. RINSE THOROUGHLY WITH WATER AND RETURN TO DRUM RECONDITIONER, OR DESTROY BY PERFORATING OR CRUSHING. DEARCIDE® 701 IS A STRONG OXIDIZING AGENT. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES. DO NOT ALLOW IT TO COME INTO CONTACT WITH OIL, GREASE, SAWDUST, FLOOR SWEEPINGS, OR OTHER EASILY OXIDIZED ORGANIC COMPOUNDS. IT COULD CAUSE SUCH MATERIALS TO BURN. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES.

TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES CALL A PHYSICIAN. IF SVALLOWED, INDUCE VOMITING AND CALL A PHYSICIAN IMMEDIATELY.

100 lbs. net

NET WEIGHT - 350 lbs. net

EPA REG. NO. 4643-18

EPA Est. 4643-IL-1

CHOMED

DEARBOR

DEARCIDE® 701

OXIDIZING MICROBICIDE

ND ALGICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS GAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING COOLING TOWERS.

VE INGREDIENTS:

OTASSIUM	PEROXYMONOSULFATE	22.90%
OTASSIUM	BISULFATE	9.35%
T INGRED	ENTS	67.75%

: ACTIVE OXYGEN 2.25% BY WEIGHT

BULK DENSITY - 87 POUNDS/CUBIC FOOT

DOSE: WHEN MICROBIOLOGICAL SLIMES ARE EVIDENT, APPLY 24.8 TO 37.2 OUNCES AV. OF DEARCIDE® 'M TO 300 PPM) OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED. BADLY FOULED SYSTEM TREATMENT IS BEGUN. SUBSEQUENT DOSE: WHEN MICROBIOLOGICAL CONTROL IS EVIDENT, APPLY 12.4 DE® 701 PER 1000 GALLONS (100 PPM TO 200 PPM) OF WATER IN THE SYSTEM ONCE PER WEEK, OR AS FEEDING: DEARCIDE® 701 'HOULD BE FED AT FULL STRENGTH IN THE COOLING TOWER BASIN AT A JLATION. TOWER BLEEDOFF VALVES SHOULD BE CLOSED TO PERMIT A RETENTION TIME OF 4 HOURS.

OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.


MATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUB-COULD BE HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WATER TREATED WITH DEARCIDE® FOOD PROCESSING, IRRIGATION OR IN THE MANUFACTURE OF PAPER USED FOR FOOD PACKAGING. APPLY DED ON THE LABEL. STORE IN A COOL, DRY PLACE.

NSE THOROUGHLY WITH WATER AND RETURN TO DRUM RECONDITIONER, OR DESTROY BY PERFORATING OR A STRONG OXIDIZING AGENT. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES. DO NOT ALLOW OIL, GREASE, SAWDUST, FLOOR SWEEPINGS, OR OTHER EASILY OXIDIZED ORGANIC COMPOUNDS. IT O BURN. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES.

BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. APPLY ED ON THIS LABEL.

CT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR SWALLOWED, INDUCE VOMITING AND CALL A PHYSICIAN IMMEDIATELY.

NET WEIGHT - 350 lbs. net 100 lbs. net



DEARBORN CHEMICAL DIVISION

CORPORATION Lake Zurich, III. 60047

EPA Est. 4643-IL-1