

ACCEPTED

May 16, 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTRATION
ED UNDER NO. 4643-23

DEARCIDE® 703

A BACTERIOSTAT AND ALGICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS
(BACTERIA AND ALGAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING COOLING TOWERS.

ACTIVE INGREDIENTS:

| | |
|-----------------------------------|--------|
| METHYLENE BIS(THIOCYANATE)..... | 1.86% |
| BIS(TRICHLOROMETHYL) SULFONE..... | 7.84% |
| BIS(TRIBUTYL TIN) OXIDE..... | 2.38% |
| INERT INGREDIENTS..... | 87.92% |

DIRECTIONS FOR USE: INITIAL DOSE: WHEN MICROBIOLOGICAL SLIMES ARE EVIDENT, APPLY 16 TO 21 FLUID OUNCES OF DEARCIDE® 703 PER 1000 GALLONS (150 PPM TO 200 PPM) OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED. BADLY FOULED SYSTEMS SHOULD BE MECHANICALLY CLEANED BEFORE TREATMENT IS BEGUN. SUBSEQUENT DOSES: WHEN MICROBIOLOGICAL CONTROL IS EVIDENT, APPLY 8 TO 11 FLUID OUNCES OF DEARCIDE® 703 PER 1000 GALLONS (75 PPM TO 100 PPM) OF WATER IN THE SYSTEM ONCE PER WEEK, OR AS NEEDED TO MAINTAIN CONTROL. FEEDING: DEARCIDE® 703 SHOULD BE FED AT FULL STRENGTH IN THE COOLING TOWER BASIN AT A POINT OF MAXIMUM WATER CIRCULATION. SEE PRODUCT BULLETIN 7214.

DANGER: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WATER TREATED WITH DEARCIDE® 703 SHOULD NOT BE USED FOR FOOD PROCESSING, IRRIGATION OR IN THE MANUFACTURE OF PAPER USED FOR FOOD PACKAGING.


THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL.

DO NOT REUSE EMPTY DRUM. RINSE THOROUGHLY WITH WATER AND RETURN TO DRUM RECONDITIONER, OR DESTROY BY PERFORATING OR CRUSHING. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES. **FIRST AID:** IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

AGITATE BEFORE USING
EPA Reg. No. 4643-23
EPA Est. 4643-IL-1

KEEP FROM FREEZING
NET WEIGHT -- 500 lbs. net
273 lbs. net



DEARBORN CHEMICAL DIVISION

CHEMED CORPORATION Lake Zurich, Ill. 60047

ACCEPTED
May 16, 1974
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 4643-23

DEARCIDE® 703

A BACTERIOSTAT AND ALGICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS
 (BACTERIA AND ALGAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING COOLING TOWERS.

ACTIVE INGREDIENTS:

| | |
|-----------------------------------|--------|
| METHYLENE BIS(THIOCYANATE)..... | 1.86% |
| BIS(TRICHLOROMETHYL) SULFONE..... | 7.84% |
| BIS(TRIBUTYLTIN) OXIDE..... | 2.38% |
| INERT INGREDIENTS..... | 87.92% |

DIRECTIONS FOR USE: INITIAL DOSE: WHEN MICROBIOLOGICAL SLIMES ARE EVIDENT, APPLY 16 TO 21 FLUID OUNCES OF DEARCIDE® 703 PER 1000 GALLONS (150 PPM TO 200 PPM) OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED. BADLY FOULED SYSTEMS SHOULD BE MECHANICALLY CLEANED BEFORE TREATMENT IS BEGUN. SUBSEQUENT DOSES: WHEN MICROBIOLOGICAL CONTROL IS EVIDENT, APPLY 8 TO 11 FLUID OUNCES OF DEARCIDE® 703 PER 1000 GALLONS (75 PPM TO 100 PPM) OF WATER IN THE SYSTEM ONCE PER WEEK, OR AS NEEDED TO MAINTAIN CONTROL. FEEDING: DEARCIDE® 703 SHOULD BE FED AT FULL STRENGTH IN THE COOLING TOWER BASIN AT A POINT OF MAXIMUM WATER CIRCULATION. SEE PRODUCT BULLETIN 7214.

DANGER: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD. WATER TREATED WITH DEARCIDE® 703 SHOULD NOT BE USED FOR FOOD PROCESSING, IRRIGATION OR IN THE MANUFACTURE OF PAPER USED FOR FOOD PACKAGING.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL.

DO NOT REUSE EMPTY DRUM. RINSE THOROUGHLY WITH WATER AND RETURN TO DRUM RECONDITIONER, OR DESTROY BY PERFORATING OR CRUSHING. KEEP THIS PRODUCT AWAY FROM HEAT OR OPEN FLAMES. **FIRST AID:** IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

AGITATE BEFORE USING
 EPA Reg. No. 4643-23
 EPA Est. 4643-IL-1

KEEP FROM FREEZING
 NET WEIGHT -- 500 lbs. net
 273 lbs. net

DEAI

CHE