STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container. Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in a landfill approved for pesticide containers or bury in a safe place.) Consult Federal, State or Local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING

METALWORKING CUTTING FLUIDS: The recommended dosage to preserve oil-in-water metalworking cutting fluid emulsions is 2 fluid ounces of OIL-PERGE in 100 gallons of emulsion. Thoroughly mix the emulsion after addition of the OIL-PERGE by stirring or vigorous agitation to insure complete dispersion. The dosage should be repeated every two months or as needed to preserve the cutting fluid emulsion.

hydraulic oil emulsions used in hydraulic actuating systems, the recommended dosage is 2 fluid ounces of OIL-PERGE in 100 gallons of oil-in-water emulsions. The emulsion and OIL-PERGE should be thoroughly mixed together by stirring or vigorous agitation to insure complete dispersion. Repeat the dosage every two months or as needed to preserve the hydraulic oil emulsion.

OIL-PERGE

A BACTERIOSTAT FOR THE PRESERVATION OF OIL-IN-WATER METALWORKING CUTTING FLUID EMULSIONS AND HYDRAULIC OIL EMULSIONS

Active Ingredient

Methylene bis (Thiocyanate) 9 3%
Inert Ingredients 90.7%

DANGER: KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Corrosive, causes eye damage and severe skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food. Do not breathe vapors.

STATEMENT OF PRACTICAL TREATMENT FIRST AID


- IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol Call a physician immediately.
- IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen and call a physician.
- IF ON SKIN: Wash thoroughly with soap and water, Remove and wash contaminated clothing before reuse.
- IF IN EYES. Flush with plenty of water for at least 15 minutes. Call a physician

PHYSICAL OR CHEMICAL HAZARDS: Keep away from heat or open flames

EPA Reg. No. 4643-26 EPA Est. No. 4643-1L-1 Net Weights: 441 lbs. (55 gallon drum) 241 lbs (30 gallon drum) 40 lbs (5 gallon pail)

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with the NPDES permit. For guidance contact your Regional Office of the EPA.

NOTICE. Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied. Extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably forseeable to seller and buyer assumes the risk of any such use



DEARBORN CHEMICAL (U.S.)

*CHEMED CORPORATION

300 GENESEE STREET . LAKE ZURICH, ILLINOIS 60047