

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Containers must be kept closed and stored in a cool, dry place. Do not use if container is damaged, leaking or otherwise defective. Pesticide or waste that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse equipment, all containers and, for metal containers, offer for recycling or reconditioning for plastic containers. Dispose of a landfill approved for pesticides. Do not bury in a safe place. Consult Federal, State or Local disposal authorities for approved alternate procedures.

DANGER:
KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

Causes eye damage or skin irritation. Avoid getting in eyes or skin or on clothing. Wear gloves, long sleeves and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contact with food. Water treated with DEARCIDE 732 should not be used for food processing, irrigation, or in the manufacture of paper used for food packaging.

DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW
TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH THE LABELING

INITIAL DOSE: When microbial growth is evident, apply 14 to 17.4 fluid ounces of DEARCIDE 732 per 1000 gallons (100 ppm to 125 ppm) of water in the system. Remedial control is achieved. Bacteriologic system should be cleared before treatment is begun. **SUBSEQUENT DOSE:** When no biological control is evident, apply 7.0 to 10.5 fluid ounces of DEARCIDE 732 per 1000 gallons (50 ppm to 75 ppm) of water in the system. Remedial control is achieved. **FEEDING:** DEARCIDE 732 should be fed at full strength in the cooling water basin at a rate of maximum water circulation. Tower bleed-off should stop. The bleed-off period retention time of 4 hours.

DEARCIDE 732

BACTERIOSTATIC AND ALGAEICIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS, BACTERIA AND ALGAE IN THE INDUSTRIAL AND COMMERCIAL RECIROCLATING WATER COOLING TOWERS

Active Ingredients:

1,3,5-Tributylthio Oxane	2.38
5-Chloro-2,4-Dimethyl Benzyl Ammonium Chloride	17.00
5-Chloro-2,4-Dimethyl Benzyl Ammonium Chloride	7.50
Inert Ingredients	76.12

STATEMENT OF PRACTICAL TREATMENT
FIRST AID

- IF SWALLOWED:** Do not induce vomiting. Drink plenty of water. If you are pregnant, consult your physician. If you are pregnant, consult your physician.
- IF INHALED:** Move to fresh air. If breathing is difficult, give oxygen. If breathing is difficult, give oxygen.
- IF ON SKIN:** Wash with plenty of water. Remove contaminated clothing and shoes.
- IF IN EYES:** Flush with plenty of water for at least 15 minutes. Get medical attention.
- NOTE TO PHYSICIAN:** This product may cause allergic reactions. Measure blood urea nitrogen, serum creatinine, and blood urea nitrogen.

FLAMMABLE LIQUID, N.O.S. FLASH POINT 99 F. TOC

EPA Reg. No. 464-27
 EPA File No. 4643 IL-7
 Net Wt. (per 24 lbs. 10 gallons)
 440 lbs. 55 gallons
 40 lbs. 5 gallons

KEEP FROM FREEZING
AGITATE BEFORE USING

DEARBORN CHEMICAL U.S. CHEMED

NOTICE: Dealer warrants that the product conforms to its label description and its reasonable use for the purposes stated on the label. When used in accordance with the directions under normal conditions of use, but neither the warranty nor any other warranty, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, shall be expressed or implied. This warranty extends to the product as sold, and does not extend to the product as used. The user assumes the risk of any such use.

ACCEPTED
 JUL 17 1981
 DEARBORN CHEMICAL U.S. CHEMED

d DEARBORN CHEMICAL U.S. CHEMED