

DEARCIDE 716

WATER TREATMENT

ACCEPTED

4643-29
7-28-76

DANGER: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

BACTERIOSTATIC AND DISINFECTANT FOR USE IN COOLING TOWER BASINS, CONDENSERS, AND ALKALI IN INDUSTRIAL AND COMMERCIAL COOLING TOWER SYSTEMS.

ACTIVE INGREDIENTS:

TRICHLORO-S-TRIAZINETRIONE 10%

POTASSIUM PEROXYMONOSULFATE 10%

POTASSIUM BISULFATE 10%

INERT INGREDIENTS 70%

NOTE: ACTIVE OXYGEN 2.5% BY WEIGHT

BULK DENSITY - 77.06 POUNDS PER GALLON

DIRECTIONS FOR USE: INITIAL DOSE: WHEN MICROBIOLOGICAL SLIMES ARE EVIDENT, APPLY TO 10,000 GALLONS OF WATER IN THE SYSTEM (17.5 TO 35 PPM AVAILABLE CHLORINE). REPEAT UNTIL CONTROL IS OBTAINED. SYSTEMS SHOULD BE CLEANED BEFORE TREATMENT IS BEGUN. SUBSEQUENT DOSE: WHEN MICROBIOLOGICAL CONTROL IS OBTAINED, APPLY 10 PPM OF DEARCIDE 716 PER 1000 GALLONS OF WATER IN THE SYSTEM (8.75 TO 17.5 PPM AVAILABLE CHLORINE). FEEDING: DEARCIDE 716 SHOULD BE FED AT FULL STRENGTH IN THE COOLING TOWER BASIN AT 100 PPM. TOWER BLEEDOFF VALVES SHOULD BE CLOSED TO PERMIT A RETENTION TIME OF 4 HOURS. TEST THE CHLORINE RESIDUAL IN THE TOWER BASIN AT 4 HOURS. DOSAGES IF NECESSARY TO OBTAIN AT LEAST 1 PPM OF AVAILABLE CHLORINE RESIDUAL IN ALL PARTS OF THE SYSTEM.

DANGER: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY.

CORROSIVE, CAUSES EYE DAMAGE. MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. AVOID BREATHING DUST. MAY CAUSE BURNS TO BROKEN SKIN. WASH HANDS AFTER HANDLING.

FIRST AID: IF SWALLOWED: FLED GRILL, COFFEE CUP, OR BREAK SOME IN MOUTH TO PREVENT SWALLOWING. IF IN CONTACT, REMOVE EXCESS MATERIAL AND FLUSH SKIN OR EYES WITH COLD WATER FOR 15 MINUTES. IF IN EYES, FLUSH FOR 15 MINUTES. AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

STRONG OXIDIZING AGENT. MIX ONLY WITH WATER. USE CLEAN DRY UTENSILS. CONTAMINATION OF MATERIALS MAY LIBERATE HAZARDOUS GASES. STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM HEAT OR OPEN FLAME. WITH LIBERATION OF HARMFUL GASES. IN CASE OF DECOMPOSITION, IF POSSIBLE, ISOLATE CONTAINER IN OPEN SPACE. WATER. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. RING EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE REUSE. CARDING.

ENVIRONMENTAL HAZARDS: THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED INTO PONDS, OR PUBLIC WATERS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF EXCESS. ON THE LABEL.

EPA REG. NO. 4643-
EPA EST. NO. 4643-IL-1

TRICHLORO-S-TRIAZINETRIONE - OXIDIZING MATERIAL - CORROSIVE

NET WEIGHT - 50 LBS. **DEARBORN CHEMICAL DIVISION**

CORPORATION Lake Zurich, Ill. 60047