

**STORAGE AND DISPOSAL:** This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350-475° F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container with water to dissolve all material before discarding.

#### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW  
TO USE THIS PRODUCT IN A MANNER  
INCONSISTENT WITH THE LABELING.

**NOTE: STRONG OXIDIZING AGENT:** Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases.

**INITIAL DOSE:** When microbiological slimes are evident, apply 10.0 to 20.0 ounces by weight (Av) of DEARCIDE 716 per 1000 gallons of water in the system (17.5 to 35 ppm available chlorine). Repeat until control is achieved. Badly fouled systems should be cleaned before treatment is begun. **SUBSEQUENT DOSE:** When microbiological control is evident, apply 5.0 to 10.0 ounces by weight (Av) of DEARCIDE 716 per 1000 gallons of water in the system (8.75 to 17.5 ppm available chlorine) once per week, or as needed to maintain control. **FEEDING:** DEARCIDE 716 should be fed at full strength in the cooling tower basin at a point of maximum water circulation. Tower bleedoff valves should be closed to permit a retention time of 4 hours. Test the chlorine residual with a test kit and repeat dosages if necessary to obtain at least 1 ppm of available chlorine residual in all parts of the system for a 4-hour period.

## DEARCIDE 716

### OXIDIZING MICROBICIDE

A BACTERIOSTAT AND ALGAECIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS (BACTERIA AND ALGAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING WATER COOLING TOWERS.

#### Active Ingredients

Trichloro s-triazinetriene	25.00%
Potassium Peroxymonosulfate	22.90%
Potassium Bisulfate	9.35%

Inert Ingredients: 42.75%


NOTE: Active oxygen 2.25% by weight - bulk density - 77.04 lbs/cubic foot

### DANGER

FOR INDUSTRIAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat, avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

**FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.



TRICHLORO-S-TRIAZINETRIONE - OXIDIZING MATERIAL

Purchase price of 1  
use under the follow

**NOTICE:** Seller warrants chemical description and on the label when used under normal conditions of use. No other warranty of MERCHANTABILITY or FITNESS FOR PARTICULAR PURPOSE is made. Use of this product under abnormal conditions, or use by anyone other than the buyer, is not warranted by the seller.

**d** DEARBOR  
°CH  
300 GENESEE STREET

# DEARCIDE 716

## OXIDIZING MICROBICIDE

A BACTERIOSTAT AND ALGAECIDE FOR THE CONTROL OF THE GROWTH OF MICROORGANISMS (BACTERIA AND ALGAE) IN INDUSTRIAL AND COMMERCIAL RECIRCULATING WATER COOLING TOWERS.

### Active Ingredients:

Trichloro-s-triazinetriene	25.00%
Potassium Peroxymonosulfate	22.90%
Potassium Bisulfate	9.35%

Inert Ingredients: 42.75%

NOTE: Active oxygen 2.25% by weight - bulk density - 77.04 lbs/cubic foot

## DANGER

### FOR INDUSTRIAL USE ONLY KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat, avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

ACCEPTED

4643-29

APR 10 1980

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
17 UNDER NO

TRICHLORO-S-TRIAZINETRIONE -- OXIDIZING MATERIAL

EPA Reg No 4643 29

EPA Est No 4643 IL 1

Net Weight 50 lbs

Purchase price of this product includes license for its use under the following patents: 3,690,860

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

8/79

d  
DEARBORN CHEMICAL (U.S.)  
Chemed CORPORATION

300 GENESEE STREET • LAKE ZURICH, ILLINOIS 60047