

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container. Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in a landfill approved for pesticide containers or bury in a safe place.) Consult Federal, State or Local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING.

For best results, slug feed. The frequency of addition of microbicide needed depends on many factors. To optimize your use of MICROBIOTREAT 6258, follow this procedure:

1. Initially use 6 fluid ounces per 1000 gal of water to be treated (20 ppm active quaternary). Should this dosage not give satisfactory results, use 9 fluid ounces per 1000 gal of water. Repeat the initial dose every seven days or increase the frequency if needed.

2. When the above treatment level is successful, use 2 or 3 fluid ounces per 1000 gal of water to maximize efficiency. Repeat weekly as needed. Should slime develop again, go back to initial dosage.

COOLING TOWER SYSTEMS: Cooling tower waters that are inherently low in algae growth and bacteria count may be adequately controlled by the lower range of these dosages; slug fed every seven days. Dilute the appropriate amount of MICROBIOTREAT 6258 in 1 or 2 gallons of water then add to the sump of the tower.

MICROBIOTREAT® 6258

CONTROLS ALGAE AND BACTERIAL SLIMES FOUND IN RECIRCULATING COOLING WATER TOWERS

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride . 50%

INERT INGREDIENTS: 50%

MICROBIOTREAT 6258 is a twin-chain quaternary ammonium compound concentrate water treatment microbicide for building and industrial cooling towers. Helps clean and loosen slime debris from cooling system surfaces.

KEEP OUT OF REACH OF CHILDREN

DANGER:

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

STATEMENT OF PRACTICAL TREATMENT FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

NOTE: This product weighs 7.5 lbs/gal (at 20°C)

ENVIRONMENTAL TOXICITY CHARACTERIZATION

NOTE: Formulation of this product is not intended for use in ponds and streams.

MICROBIOTREAT® 6258

CONTROLS ALGAE AND BACTERIAL SLIMES FOUND IN
RECIRCULATING COOLING WATER TOWERS

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride . 50%
INERT INGREDIENTS: 50%

MICROBIOTREAT 6258 is a twin-chain quaternary ammonium compound concentrate water treatment microbicide for building and industrial cooling towers. Helps clean and loosen slime debris from cooling system surfaces.

KEEP OUT OF REACH OF CHILDREN

DANGER:

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND RUBBER GLOVES WHEN HANDLING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

STATEMENT OF PRACTICAL TREATMENT FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

NOTE: This product weighs 7.5 lbs/gal (at 20°C)

EPA Reg. No. 4643-41
EPA Est. No. 4643-IL-1

Net Weight - 400 lbs.
Net Volume - 55 gals.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance contact your regional EPA office.

NOTE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

12/80

ACCEPTED

FEB 13 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 4643-41

d **DEARBORN CHEMICAL (U.S.)**
CHEMED CORPORATION

300 GENESEE STREET • LAKE ZURICH, ILLINOIS 60047