

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container. Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, after for recycling or reconditioning (for plastic containers, dispose in a landfill approved for pesticide containers or bury in a safe place.) Consult Federal, State or Local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING.

NOTE: Add DEARCIDE 712A separately to the system. Do not mix with other additives in order to avoid possible incompatibilities.

OPEN RECIRCULATING COOLING WATER SYSTEMS: INITIAL DOSE: When microbiological slimes are evident, apply 6.2 to 18.6 fluid ounces of DEARCIDE 712A per 1000 gallons (50 ppm to 150 ppm of the product) of water in the system. Repeat until control is achieved. Badly fouled systems should be cleaned before treatment is begun. **SUBSEQUENT DOSE:** When microbiological control is evident, apply 6.2 to 12.4 fluid ounces of DEARCIDE 712A per 1000 gallons (50 ppm to 100 ppm of the product) of water in the system once per week, or as needed to maintain control. **FEEDING:** DEARCIDE 712A should be fed at full strength in the cooling water basin at a point of maximum water circulation. Tower make-off valves should be fed at full strength in the cooling water basin at a point of maximum water circulation. Tower make-off valves should be closed to permit a retention time of 4 hours.

DEARCIDE® 712A

CONTROLS FUNGAL SLIMES IN OPEN RECIRCULATING COOLING SYSTEMS

Active Ingredients:	
Sodium Pentachlorophenate	31.25%
Sodium salts of other chlorophenols and related compounds	4.35%
Inert Ingredients:	64.40%

DANGER:

**KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

Corrosive, causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray/mist. Avoid contamination of food. Water treated with DEARCIDE 712A should not be used for food processing, irrigation or in the manufacture of paper used for food packaging.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
- IF INHALED:** Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen and call a physician.
- IF ON SKIN:** Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.
- IF IN EYES:** Flush with plenty of water for at least 15 minutes. Call a physician.
- NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

ENV
to fit
into
accor
Do n
dispo
on th

NOTICE:
chemical
on the f
normal c
other wa
PARTIC
use of th
normal c
able to s

DEARCIDE® 712A

CONTROLS FUNGAL SLIMES IN OPEN
RECIRCULATING COOLING SYSTEMS

Active Ingredients:	
Sodium Pentachlorophenate	31.25%
Sodium salts of other chlorophenols and related compounds	4.35%
Inert Ingredients:	64.40%

EPA Reg. No. 4643-42
EPA Est. No. 4643-IL 1

Net Weights - 30 Gallons (306 lbs)
55 Gallons (561 lbs)
5 Gallons (51 lbs)

KEEP FROM FREEZING

DANGER:

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Corrosive, causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food. Water treated with DEARCIDE 712A should not be used for food processing, irrigation or in the manufacture of paper used for food packaging.

STATEMENT OF PRACTICAL TREATMENT


- IF SWALLOWED:** Do not induce vomiting. Drink promptly a large quantity of milk and whites gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
- IF INHALED:** Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen and call a physician.
- IF ON SKIN:** Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.
- IF IN EYES:** Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Pre- and post-treatment may contraindicate the use of gastric surgery. Myositis against circulatory shock, respiratory depression and convulsions may be expected.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonable for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer, as the risk of any such use.

380



d **DEARBORN CHEMICAL (U.S.)**
CHEMED CORPORATION

300 W. WASHINGTON STREET • DEARBORN, ILLINOIS 60417

18A