This DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria and pathogenic fungi.

MUCHARD J

This DISINFECTANT is also an excellent deodorant. It is especially advantageous to control odors that are bacterial in origin.

This DISINFECTANT mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Has a pleasant lemon odor.

WARNING

KEEP OUT OF REACH OF CHILDREN: Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk or raw egg white. If these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

E.P.A. REG. NO. 4651-5



ACTIVE INGREDIENTS: Alkyi (C₁) dimeth isopropa Essential Tota **INERT INGR**

KEEP OUT OF REACH OF CHILDREN (See side panel for additional precautions) Manufactured by: Hunter Industrial Chemicals, Inc. • Houston, Texas 77021

Joseph 5, 1973

46051-5



Phenol Coefficient using A.O.A.C. method

—	Salmonella typhosa – 15	
—	Staphylococcus aureus —	2(

- Escherichia coli - 12

14, 58%; C ₁₆ , 28%;	C	12	, 1	4%	b)						
hyl benzyl ammoniui	4.0%										
anol											
al oils											
al Active Ingredients											
EDIENTS:				•••		•	• •			•	93.5%
	Т	nt	Δ {	١N	IGE	2F	ווח	FN	τs		100 0%

WARNING

- Use in hospita and beauty s disinfection of synthetics and
- 1. Flush away
- 2. Clean with per gallon
- 3. Rinse with 4. Apply disir surfaces. I
- a disinfect per gallon to clean, infecting (per gallon
- 5. Surfaces (after treat

For garbage of 8 ounces p

Use on enam dew. Follow every seven (

Jolober 15, 1973 4651-5 wide variety of and pathogenic eodorant. It is at are bacterial ter and makes **DISINFECTANT • DETERGENT • SANITIZER • DEODORIZER** non-corrosive ts, enamel, tile FOR HOSPITAL USE emon odor. Phenol Coefficient using A.O.A.C. method ses eye or skin - Salmonella typhosa - 15 br on clothing. - Staphylococcus aureus - 20 - Escherichia coli - 12 of food. Avoid **ACTIVE INGREDIENTS:** Alkyl (C_{14} , 58%; C_{16} , 28%; C_{12} , 14%) y flush eyes or dimethyl benzyl ammonium chloride 4.0% 15 minutes. If Isopropanol. 2.0% Remove and 0.5%

itity of milk or drink a large physician im-

later and dis-

WARNING **KEEP OUT OF REACH OF CHILDREN** (See side panel for additional precautions)

TOTAL INGREDIENTS

Manufactured by: Hunter Industrial Chemicals, Inc. • Houston, Texas 77021

Total Active Ingredients

INERT INGREDIENTS:

6.5%

93.5%

100.0%

L.15

DIRECTIONS

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for general disinfection of walls, floors, glass, metal, plastic, porcelain, synthetics and finished wood surfaces and furnishings.

FOR DISINFECTION

- 1. Flush away surface soils with water where possible.
- 2. Clean with a solution of $2\frac{1}{2}$ ounces of DISINFECTANT per gallon of water.
- 3. Rinse with clear water.
- 4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 21/2 ounces of DISINFECTANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 5 ounces of DISINFECTANT per gallon of water.
- 5. Surfaces contacting food must be thoroughly rinsed after treatment. Otherwise, rinsing is not required.

FOR DEODORIZING

For garbage cans and similar retuse areas, use a solution of 8 ounces per gallon of water. Spray or wet all surfaces.

FOR MILDEW CONTROL

Use on enamel, porcelain, tile and plastics to control mildew. Follow directions for disinfection. Repeat treatment every seven days, or when new growth appears.

NET CONTENTS

