

Reg. # 4664-21 1085
Pm 21

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 4664-21	DATE OF ISSUANCE MAR 7 1985
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Batt-Evax (Liquid) Weed Destroyer (at 2.5% W)	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Mr. ...
 ...
 ...

160
18
134893
1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. Your product is conditionally registered in accordance with FIFRA sec. 3(c)(1)(A) provided that you:

1. Submit and/or date all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 4664-21."
- b. Reformat the label sections so that the precautionary statements section and the directions for use heading precedes the product name and synonyms.
- c. Delete "for wetlands" from the environmental hazards statement.
- d. Insert the Storage and Disposal section to within or immediately following the Directions For Use section.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: *[Date]*

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

RD/FHB:JOB:10681:J.Noles:RD-44:eg:Kendrick & Co:898-1270:2/28/85:Del.3/11/85

3.05

FRONT PANEL (Top):

McCLOSKEY

ROTT-FYTER

CLEAR WOOD

PRESERVATIVE

Paintable, Water Repellent, Protects Against Decay and Fungi.

383

FRONT PANEL (Bottom left in box):

KEEP OUT OF REACH OF CHILDREN

WARNING:

KEEP AWAY FROM HEAT OR OPEN FLAME. HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION.

See side panel for additional precautionary and first aid statements.

FRONT PANEL (Bottom right):

ACTIVE INGREDIENT

*Zinc naphthenate

15.75%

INERT INGREDIENTS

84.25%

100.00%

(*Equivalent to 2% zinc metal)

EPA REG. NO. 4664-

EPA EST. NO. 4664-PA-01

ONE U.S. GALLON

3.785 LITERS

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 7 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under FFA Reg. No.
4664-21

PREPARATION

All cutting, glueing, sanding and drilling should be done before applying ROTT-FYTER. Wood must be clean and dry. Do not use over previously finished or stained wood without stripping off the old finish.

APPLICATION

1. Treating may be done with brush or roller, or by immersion.
 2. Liberally apply ROTT-FYTER until puddles remain on surface.
 3. Coat side and end grains with three or more consecutive coats to give full protection.
 4. A minimum of two coats must be given to any wood that comes in contact with the soil to protect against wood destroying and staining fungi and dimensional change. Apply second coat before first coat is dry. For best results, soak wood intended to be used below ground for at least 15 minutes.
- (C) Any surface cut after first treatment should be re-treated.

SPREADING RATE

100-200 square feet of surface, depending on porosity of wood. By immersion, one gallon of ROTT-FYTER will treat about 10 to 15 cubic feet of wood, depending on porosity.

DRYING TIME

Allow 24 to 48 hours, longer if necessary because of poor drying conditions, before glazing, or applying paint, stain, varnish, or other finish.

THINNING

(C) No thinning is required.

CLEANUP

Use mineral spirits to remove ROTT-FYTER from brushes, rollers, glass and other non-porous surfaces. Wash contaminated clothing before re-use.


IMPORTANT NOTICE TO PURCHASER- ROTT-FYTER must be used in accordance with directions on this label to get satisfactory results. There are NO EXPRESS OR IMPLIED WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyers' remedies are limited to replacement or refund of purchase price. Manufacturer assumes no liability for injuries or incidental or consequential damages. User shall determine suitability of product for intended use.

MADE WITH NON-PHOTOCHEMICALLY REACTIVE SOLVENTS.

McCLOSKEY VARNISH CO.

Philadelphia 19136 - Los Angeles 90040

MADE IN U.S.A.



USES

ROTT-FYTER is a penetrating wood preservative. It is water repellent, and is an excellent base for paints, varnish, enamel, both high hiding and semi-transparent stains and increases resistance to blistering and peeling. It is effective against termites, dry-rot, and stain caused by fungi and molds. Keep solution and freshly treated wood away from plastics, asphalt shingles and tiles.

OUTSTANDING FEATURES

Water repellent... Reduces swelling, shrinking and warping
Protects against decay and fungi stain
Ready-to-use
Adds years of life to wood
Resists termites
Paintable

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! COMBUSTIBLE

KEEP OUT OF REACH OF CHILDREN.
HARMFUL OR FATAL IF SWALLOWED.
HARMFUL IF ABSORBED THROUGH SKIN.
CAUSES SKIN IRRITATION.

ROTT-FYTER is a water-repellent preservative for all kinds of wood. Contains zinc naphthenate and petroleum distillate. Do not use or store near heat or open flame. Close container after each use. Keep contents, freshly treated articles, away from flame, food, and plants. Use in well-ventilated area. Do not breathe vapor. Do not get in eyes, on skin or clothing. Wear rubber gloves when working with or handling lumber freshly treated with ROTT-FYTER.

FIRST AID: In case of skin contact, wash with soap and plenty of water. In case of eye contact, flush eye immediately with plenty of water for at least 15 minutes and get medical attention. If swallowed, do not induce vomiting. CALL A PHYSICIAN. Never give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

Do not use or store near open flame. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

Apply this product only as specified on this label: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.