300 <u>17060/</u> 11 <u>2</u>

MAR 26 1986

27 m 7 - 3

McCloskey Varnish Company 7600 State Road Philadelphia, PA 19136

Attention: Mr. J. Richard Kiefar, Jr.

Gentlemen:

Subject: ROTT-FYTER CLEAR WOOD PRESERVATIVE EPA Registration No. 4664-22 Your Letter Dated March 7, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Henry M. Jacoby Product Hanager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

Enclosure

80278: Jackson: J-5; KENCO: 3/26/06; 14/3/06; EK; JII

USES

ROTT-FYTER is a penetrating wood preservative. It is water repettent, and is an excellent base for paints, varnish, enamel, both high hiding and semi-transparent stains and increases resistance to blistering and peeling. It is effective against termites, dry-rot, and stain caused by fungi and molds. Keep solution and freshly treated wood away from plastics, asphalt shingles and tiles.

OUTSTANDING FEATURES

Cleans up easily with soap and water
Water repellent...Reduces swelling, shrinking and warping
Protects against decay and fungi stain
Ready-to-use
Adds years of life to wood
Resists termites
Paintable

SPREADING RATE

100-200 square feet of surface, depending on porosity of wood. By immersion, one gallon of ROTT-FYTER will treat about 10 to 15 cubic feet of wood, depending on porosity.

DRYING TIME

Allow 24 to 48 hours, longer if necessary because of poor drying conditions. Surfaces must be thoroughly dry before glazing, or applying paint, stain, varnish, or other finish.

THINNING

No thinning is required.

CLEANUP

Use soap and water to remove wet ROTT-FYTER from surfaces, brushes and rollers. Mineral spirits may be used to remove dried product from glass and other non-porous surfaces. Wash contaminated clothing before re-use.

IMPORTANT NOTICE TO PURHASER—ROTT-FYTER must be used in accordance with directions on this label to get satisfactory results. There are NO EXPRESS OR IMPLIED WARRANTIES INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyers' remedies are limited to replacement or refund of purchase price. Manufacturer assumes no liability for injuries or incidental or consequential damages. User shall determine suitability of product for intended use.

MADE WITH NON-PHOTOCHEMICALLY REACTIVE SOLVENTS.

別McCloskey'

Philadelphia 19136—Los Angeles 90040 MADE IN U.S.A.

MCCloskey*

Rotti Fyter Clear Wood Preservative

Paintable, Water Repellent, Protects Against Decay and Fungi.
NOW WITH EASY WATER CLEAN-UP!

988

KEEP OUT OF REACH OF CHILDREN CAUTION!

HARMEUL IF ABSORBED THROUGH SKIN

See side panel for additional precautionary and first aid statements

ONE U.S. GALLON 8.28 LBS.

ACTIVE INGREDIENT

*Zinc naphthenate INERT INGREDIENTS

15.75% 84.25% 100.0%

("Equivalent to 2% and metal)

EPA EST. NO. 4864-PA-OI - EPA REG. NO. 4664-22

3.785 LITERS

ACCEPTED

MAR 2 7 1986

Under the Federal Insecticitie Fungicide, and Rodenticide Ret. as amended, for the pezicide registered under EPA Reg. No. 4/1/4/27

SWALLOWED IR