

Reg no: 4691-48

PM-12

131

ACCEPTED

OCT 25 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
or under any other pesticide
registration statute
EPA Reg. No. 4691-48

SILKSCREEN



FLEA, LICE & TICK POWDER

Contains SEVIN[®]
For Dogs and Cats

KILLS FLEAS-LICE-TICKS

ACTIVE INGREDIENTS: Carbaryl (1-naphthyl N-methyl carbamate) 50%; Technical Piperonyl Butoxide 10%; Pyrethrins 0.1%.

INERT INGREDIENTS: 39.9%
*Equivalent to 0.8% (butylcarbityl) (8-propylpiperonyl) ether and 0.2% related compounds.

CAUTION:

Keep out of the reach of children.
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WT 6 OZ

Code 457-911

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of powder. Avoid contamination of feed and foodstuffs. Avoid contact with skin, eyes or clothing. Wash hands with soap and water after using. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

Hazardous-- Not for human use.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Drink 1 or 2 glasses of water or milk and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eye - Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

If on Skin - Remove contaminated clothing and wash affected areas with soap and water.

Notice to Physician - Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. For best results dust liberally over entire body.
2. Be sure that the powder is applied on feet, pads and between toes.
3. Do not use on kittens or nursing puppies under four weeks of age. Do not use on pregnant dogs.
4. Care should be exercised to prevent powder from getting into the eyes and mouth.
5. Dust living quarters and bedding freely.
6. Repeat treatment, if necessary, should not be more often than once weekly.
7. If fleas and brown dog ticks are a problem in the home, baseboards, door entrances, crevices, and rug area should be dusted liberally weekly.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a dry place. Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

©Trademark of Union Carbide Corp
for 1-naphthyl N-methylcarbamate

EPA Reg. No 4691-48 For Animal Use Only
EPA Est 7056-TX-1 For External Use Only

Distributed by
Anchor Division
Boehringer Ingelheim Animal Health, Inc
288-0865 St. Joseph, Missouri 64502 U.S.A.