

4691-69

For Abrasions, Minor Burns, Superficial Wounds, and use following Castration, Dehorning, and Branding

Active Ingredients	
Nonylphenoxydoly (ethyleneoxy) ethanol-iodine complex	75%
Gamma Isomer of Benzene Hexachloride from Lindane	3.0%
Butoxypolypropylene Glycol	30.0%
Inert Ingredients	59.5%
TITRATABLE IODINE 1.5%	TOTAL 100.0%

CAUTION: Harmful if swallowed. Avoid contact with the eyes and mucous membranes. Avoid contact with the human skin. In case of contact, wash immediately with soap and water. May be absorbed through the skin. Avoid contamination of feed and feedstuffs. Do not use on dogs, cats, or other household pets nor on dairy animals. Do not use on newborn animals or calves under 3 months of age.

Hazardous — Not for human use
Store at a temperature not exceeding 75° F


ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc.

416 0870 St. Joseph, Missouri 64502, U. S. A.



WOUND GUARD SMEAR



Code 341621

NET WT. 16 OZ. (1 LB.)

**ANTISEPTIC, FLY
REPELLENT,
PROTECTANT
DRESSING**

CAUTION:
Keep out of the reach of children
See side panels for additional cautions.

USES

For topical treatment of abrasions, minor burns, superficial wounds; as a protectant following castration of sheep, swine, cattle, and horses, as a protectant following branding of cattle and horses and dehorning of cattle.

DIRECTIONS:

Stir well before use. Thoroughly cover the entire injured area and approximately 1 inch around the injured tissues, using a small soft brush or other applicator. In cold weather having the product at room temperature (75° F.) will facilitate use. Apply immediately after branding, castration, or dehorning to aid in repelling flies and preventing infection. Gently cleanse injured areas with warm water and cotton gauze to remove debris and dead tissue, pat dry with a clean cloth before applying Wound Guard Smear. Repeat as necessary at 3 to 5 day intervals.

Not to be used in deep wounds, in body cavities, or on extensive burns.

CAUTION: In case of deep or puncture wounds consult a veterinarian.

Keep tightly closed when not in use

For external animal use only
U. S. D. A. Reg. No. 4691 70

ACCEPTED

OCT 7 1971

**UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER.
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.**

4691-09