



**DIRECTIONS FOR USE**  
**HOUSEFLIES**

**RESIDUAL WALL SPRAY:** For control of houseflies in dairy barns, hog pens, sheds, poultry houses, and other farm buildings mix one pint of Dimethoate Barn & Premise Spray in 3 gallons of water. Apply this spray to walls, ceilings, and all fly-resting areas to the point of runoff. One quart of spray covers 125 to 250 square feet of surface.

Dimethoate Barn & Premise Spray will control flies up to 8 weeks or longer. Repeat applications as necessary.

Remove animals and poultry from buildings prior to spraying.

**Spot Spray:** Mix 1 quart of Dimethoate Barn & Premise Spray with 5 gallons of water and apply with knapsack or similar type sprayer to doorways, windows, or other fly-resting areas. Repeat as necessary.

**Housefly Maggots:** To control maggots in poultry droppings, caged layer houses, garbage piles, and other breeding spots mix 1 quart of Dimethoate Barn & Premise Spray with 5 gallons of water and apply as a coarse spray or with a sprinkler can. Poultry need not be removed from caged layer operations before spraying droppings. Do not spray birds. Repeat application as manure or garbage is added.

**General Outside Use:** To control houseflies around recreational areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks, and refuse areas spray exposed areas, such as walls, fences, and refuse containers with 1 quart of Dimethoate Barn & Premise Spray in 6 gallons of water. Repeat treatment as necessary.

Do not contaminate feed and foodstuffs, drinking fountains, litter, and feed trays. Do not use in milkrooms or milk storage rooms. Do not use in homes.

**PHILIPS ROXANE, INC.**  
2621 North Belt Highway  
St. Joseph, Missouri 64502, U. S. A.



Code 411 721

**Dimethoate**  
**BARN & PREMISE**  
**SPRAY**  
**EMULSIFIABLE CONCENTRATE**

Controls resistant and non-resistant houseflies up to eight weeks or longer

Contains Dimethoate and DDVP

**Active Ingredients:**

Dimethoate [O,O-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate] .....	23.400%
2,2-dichlorovinyl dimethyl phosphate .....	1.395%
Related compounds .....	0.105%
Xylene .....	36.600%
Cyclohexanone .....	27.000%
<b>Inert Ingredients:</b> .....	<b>11.500%</b>
<b>Total</b> .....	<b>100.000%</b>

**CAUTION:**

Do not use, pour, spill, or store near heat or open flame.

Warning: Keep out of the reach of children  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

**NET CONTENTS: ONE QUART**

**WARNING**

Vapor harmful! May be fatal if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Do not get in eyes, or on skin or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not use, pour, spill, or store near heat or open flame. Keep out of the reach of children. Do not allow children in treated areas until surfaces are dry. If swallowed, induce vomiting immediately and get medical attention. In case of contact with eyes flush eyes with water for at least 15 minutes. Get medical attention. Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

**Note to Physician:** Use of this product may cause cholinesterase inhibition. Atropine is antidotal.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Volume of Dimethoate Barn & Premise Spray	GALLONS OF WATER			
	Residual Wall Spray	Housefly Maggots	Spot Spray	General Outside Use
1 Pint	3	2-1/2	2-1/2	3
1 Quart	6	5	5	6
1 Gallon	24	20	20	24

E.P.A. Reg. No. 4691-90