

Code 343-911

ANCHOR

Insecticide
**SCREW WORM AND
EAR TICK SPRAY**

CAUTION: Keep out of the reach of children.
See side panels for additional cautions.

for Beef cattle, horses, sheep
and goats.

NET WT. 10 OZ.

ACC
1-15-73
4691-92
... THE ...
...
...
... UNDER ...
... SUBJECT ...
... TO ATTACHED COMMENTS.

Code 343-911

ANCHOR™

Insecticide
SCREW WORM AND
EAR TICK SPRAY

CAUTION: Keep out of the reach of children.
See side panels for additional cautions.

for Beef cattle, horses, sheep
and goats.

NET WT. 10 OZ.

ACC
1-15-73
4691-92
LD UNDER IN... SUBJECT
TO ATTACHED COMMENTS.

Code 343-911

Active Ingredients:

Gamma Isomer of Benzene	
Hexachloride from Lindane..	3.00%
Xylene	8.94%
Inert Ingredients:	88.06%

(including vehicle, artificial color, and propellants)
Total.....100.0%

INDICATIONS: For the control and treatment of screw worm, ear tick, and fleece worm infestation of beef cattle, horses, sheep, and goats.

DIRECTIONS

1. Remove safety device.
2. Holding dispenser upright, point valve in desired direction and spray.
3. Hold nozzle 4 to 6 inches from the wound during application.
4. Spray wound until it is completely wet.
5. Apply coating completely around wound. On sheep and goats, the drainage area below the wound should also receive a light application to prevent attack by other blow flies.
6. Spray new wounds not yet infested to prevent screw worms. Spray immediately on wounds caused by shearing, dehorning, dog bites, wire cuts, and docking both as a killing agent and as a temporary repellent.
7. Use of SCREW WORM AND EAR TICK SPRAY should be limited to superficial or surface cuts and wounds only. For large and severe wounds consult your veterinarian.
8. For treating ear ticks, spray downward and directly into the animal's ear. Repeat as necessary.

ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc.
St. Joseph, Missouri 64502, U.S.A.

439-1172

ANCHOR™

Insecticide

SCREW WORM AND EAR TICK SPRAY

For screw worm, fleece worm and ear tick infestations on beef cattle, horses, sheep, and goats.

**Warning: Flammable:
Contents under pressure**

Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

CAUTION: Keep out of the reach of children.

See side panels for additional cautions.

for Beef cattle, horses, sheep and goats.

NET WT. 10 OZ.

FLEECE WORMS: Shear infested area and spray thoroughly, covering 2 or 3 inches outside the infestation.

REPEAT TREATMENT

Repeat application twice weekly until the wound is healed. Most flies visiting the wound during the first week after treatment are killed.

CAUTIONS TO BE TAKEN IN USING

1. **Warning:** Do not use on newborn (very young) animals or on calves under 3 months of age.
2. Do not use on dairy animals.
3. Use minimum amount of spray necessary to treat wounds.
4. In wounds already infested with screw worms (maggots) care should be exercised to cause spray to get into the wound pockets and crevices to be effective in killing the maggots.
5. Not effective in some populations or strains of screw worms which are resistant to lindane. This will be observed by lack of response to treatment.

CAUTION: May be absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, wash immediately with soap and water. Avoid contamination of feed or foodstuffs. Do not use on household pets or humans. Harmful if swallowed. Avoid contact with eyes.

Not for human use.

For External Animal Use Only
Shake well before using.
E.P.A. Reg. No. 4691-92

ACC
1-15-73
4691-92

Active Ingredients:
 Gamma Isomer of Benzene Hexachloride from Lindane... 2.00%
 Pyrethrin... 0.04%
 Inert Ingredients... 98.00%
Total.....100.0%

INDICATIONS: For the control and treatment of screw worm, ear tick, and fleece worm infestation of beef cattle, horses, sheep, and goats.

DIRECTIONS:
 Remove safety device.
 Holding dispenser upright, point valve in desired direction and spray.
 Hold nozzle 4 to 6 inches from the wound during application.
 Spray wound until it is completely wet.
 Spray coating completely dries and rinsed. On flaps and joints, the drainage area below the wound should also receive a light application to prevent attack by other flies etc.
 Spray raw wounds but not intended to prevent same. Spray immediately on wounds caused by shearing, shearing, dog bites, wire cuts, and docking both as a killing agent and as a temporary repellent.
 Use of SCREW WORM AND EAR TICK SPRAY should be limited to superficial or surface cuts and wounds only. For lacerations and severe wounds consult your veterinarian.
 For treating ear ticks, spray downward and directly into the animal's ear. Repeat as necessary.

ANCHOR LABORATORIES, INC.
 A Division of PHILIPS ROMANE, Inc.
 St. Joseph, Missouri 64502, U.S.A.

428-1172

Code 343-911

ANCHOR

**Insecticide
 SCREW WORM AND
 EAR TICK SPRAY**

For screw worm, fleece worm and ear tick infestations on beef cattle, horses, sheep, and goats.

**Warning: Flammable;
 Contents under pressure**

Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F. may cause bursting.

CAUTION: Keep out of the reach of children. See side panels for additional cautions.

(//) Beef cattle, horses, sheep and goats.

NET WT. 10 OZ.

FLAME WARNING: Shave infested area and spray thoroughly, covering 2 or 3 inches beyond the incision.

REPEAT TREATMENT: Repeat application twice weekly until the wound is healed. Avoid flies visiting the wound during the first week after treatment and flies.

CAUTIONS TO BE TAKEN IN USE:

1. Warning: Do not use on newborn (very young) animals or on calves under 3 months of age.
2. Do not use on dairy animals.
3. Use minimum amount of spray necessary to treat wounds.
4. In wounds already infested with screw worms (especially ears) should be directed to cause spray to get into the wound pockets and treated to be effective in killing the maggots.
5. Not effective in some positions or strains of screw worms which are resistant to DDT. This will be observed by lack of response to treatment.

CAUTION: May be absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, wash immediately with soap and water. Avoid contamination of food or feedstuffs. Do not use on household pets or humans. Harmful if swallowed. Avoid contact with eyes. Not for human use.

For External Animal Use Only
 Shake well before using.
 E.P.A. Reg. No. 4281-22

ACC
 1-15-73
 4691-92

BEST DOCUMENT AVAILABLE

U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE
PESTICIDES REGULATION DIVISION

REGISTRATION NO.
4691-92

DATE OF ISSUANCE
January 15, 1973

NAME OF ECONOMIC POISON
SCREW WORM AND EAR TICK SPRAY

**NOTICE OF REGISTRATION UNDER THE FEDERAL
INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT**

NAME AND ADDRESS OF REGISTRANT

PHILIPS ROXANE, INC.
2621 North Belt Highway
P.O. Box 999
St. Joseph, Missouri 64502

JAN 15 1973

NOTE: Changes in labeling or formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Pesticides Regulation Division prior to use of the label in interstate commerce. In any correspondence on this product always refer to the above registration number.

On the basis of the information furnished by the registrant, the above named economic poison is hereby registered under Section 4 of the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this registration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Department. In order to protect the public, the Secretary, on his own motion, may at any time cancel the registration of an economic poison in accordance with Section 4 (c) of the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by a trademark held by others.

The following paragraphs are applicable only when checked:

- To expedite registration, this notice is being issued on the basis of the draft submitted with the application. Certain defects, given below, have been noted. These corrections must be incorporated when the printed labeling is prepared. Five copies of the printed labeling must be submitted to complete the file on this product.
- The registration for this product is being issued with the understanding that certain defects in the labeling which are noted below will be corrected as soon as possible. Objection is not raised to the use of the present labeling for a reasonable period of time while fully corrected labeling is being prepared. Five copies of the corrected labeling must be submitted.
- The distributor below is also being accepted at this time under this registration. Refer to the enclosed copies of PR Notice 67-8 and 72-1 regarding requirements for distributor registration. Copies of the distributor's labeling need not be submitted. Your future requests for distributor registration, however, must be submitted on PR Form 9-1.

BIO-CENTIC LABORATORIES, INC.
St. Joseph, Missouri 64502

BIO-CENTIC SCREW WORM AND EAR TICK SPRAY

Please note that the complete EPA Reg. No. for this distributor product is 4691-92-11770.

BEST DOCUMENT AVAILABLE

EPA:PR:MAN: avc

Attachment is applicable.

Herbert S. Harrison
ACTING CHIEF, INSECTICIDE/RODENTICIDE BRANCH

SIGNATURE

Harrison

XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

PR FORM 9-225
OCT 1964

PRINTED AT THE UNIVERSITY MICROFILMS INTERNATIONAL, ANN ARBOR, MICHIGAN 48106