

ANCHOR

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of food and feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place which is inaccessible to children or pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Methoxychlor & Malathion DAIRY CATTLE DUST

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS:

Malathion (O,O-Dimethyl phosphorodithioate of Diethyl Mercaptosuccinate).....	4.0%
Methoxychlor: 1,1,1-trichloro-2, 2-bis(p- methoxyphenyl) ethane.....	5.0%
INERT INGREDIENTS.....	91.0%
Total.....	100.0%

* Equivalent to 4.4% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% other isomers and reaction products.

NET WEIGHT: 1 POUND

Code 411-811

EPA Reg. No. 4691-95

EPA Est. No. 42761-MS-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

METHOXYCHLOR & MALATHION DAIRY CATTLE DUST is a mixture of Malathion and Methoxychlor for use on swine, sheep, dairy and beef cattle. Malathion is a cholinesterase inhibitor. Not for use or storage in or around the home. Do not rest animals under 1 month of age.

CATTLE (Beef and Non-lactating): To control horn flies, lice, and ticks make thorough application to animal working dust into the hair. Repeat every 2 weeks if necessary. Do not treat non-lactating dairy cattle within 2 weeks of freshening.

DAIRY CATTLE: To control horn flies apply 2 heaping table-spoons full (2.8 grams methoxychlor) to back and neck of animal. Rub powder into hair. Do not apply within 3 hours of milking or during milking. Repeat every 3 weeks if necessary.

SWINE: To control lice apply thoroughly to animals, pens, and litter. Repeat in 10 days and thereafter as needed.

SHEEP: To control lice treat animals thoroughly. Work dust into wool if not applied at shearing time. Repeat as necessary. Do not apply to lactating animals.

CAUTION - Avoid contamination of feed and feeding troughs and water fountains with dusts.


WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Distributed by
ANCHOR DIVISION

Boehringer Ingelheim Animal Health, Inc.
St. Joseph, Missouri 64502 U.S.A.

118-0689



Colors: Blue background;
black type

VISIONS HIGHLIGHTED IN GREEN

ANCHORTM

Methoxychlor & Malathion DAIRY CATTLE DUST

ACCEPTED
MAR - 7
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 76 - 5

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS:

Malathion	
(O,O-Dimethyl phosphorodithioate	
of Diethyl Mercaptosuccinate).....	4.0Z
Methoxychlor: 1,1,1-trichloro-2, 2-bis(p-	
methoxyphenyl) ethane*.....	5.0Z
INERT INGREDIENTS.....	91.0Z
Total.....	100.0Z
* Equivalent to 6.4% 2,2-bis(p-methoxyphe-	
nyl)-1,1,1-trichloroethane and 0.6% other	
isomers and reaction products.	

NET WEIGHT: 1 POUND

Code 411-811

EPA Reg. No. 4691-95

EPA Est. No. 42761-MS-1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after using. Avoid contamination of feed and food-stuffs.

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in ~~neighboring~~ neighboring areas. Do not apply directly to water or wetlands (swamps, bays, marshes) and potholes; Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

METHOXYCHLOR & MALATHION DAIRY CATTLE DUST is a mixture of Malathion and Marlace R for use on swine, sheep, dairy and beef cattle. Malathion is a cholinesterase inhibitor. Not for use or storage in or around the home. Do not treat animals under 1 month of age.

CATTLE (Beef and Non-lactating): To control horn flies, lice, and ticks make thorough application to animal working dust into the hair. Repeat every 2 weeks if necessary. Do not treat non-lactating dairy cattle within 2 weeks of freshening.

DAIRY CATTLE: To control horn flies apply 2 heaping table-spoons full (2.8 grams methoxychlor) to back and neck of animal. Rub powder into hair. Do not apply within 5 hours of milking or during milking. Repeat every 3 weeks if necessary.

SWINE: To control lice apply thoroughly to animals, pens, and litter. Repeat in 10 days and thereafter as needed.

SHEEP: To control lice treat animals thoroughly. Work dust into wool if not applied at shearing time. Repeat as necessary. Do not apply to lactating animals.

CAUTION - Avoid contamination of feed and feeding troughs and water fountains with dusts.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place which is inaccessible to children or pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for a breach of warranty exceed the purchase price of the material as to which a claim is made.

Distributed by
ANCHOR DIVISION

Boehringer Ingelheim Animal Health, Inc.
St. Joseph, Missouri 64502 U.S.A.

118-0689