

PRECAUTIONARY STATEMENTS

Hazards to Humans
Domestic Animals

CAUTION

Avoid contact with skin, eyes and clothing. Avoid breathing spray mists. Harmful if swallowed. Wash hands thoroughly after using. Avoid contamination of feed and foodstuffs.

Ronnel is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase-inhibiting drugs, pesticides or chemicals. Atropine is antidote. Consult a veterinarian at first sign of an adverse reaction.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not use near lakes, streams, or ponds or where run off is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

STORAGE AND DISPOSAL

PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL

PESTICIDE THAT CANNOT BE USED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc.
St. Joseph, Missouri 64502, U.S.A.

Code 413-311

ANCHOR

**Ronnel
SCREW WORM
SPRAY**

Active Ingredients:

Ronnel [O,O-dimethyl O-(2,4,5, trichlorophenyl) phosphorothioate] 2.5%
Xylene 0.5%
Inert Ingredients 97.0%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** — Do not induce vomiting. Consult your physician immediately.
- IF INHALED** — Consult your physician immediately.
- IF ON SKIN** — Wash area with soap and water and rinse with a large volume of water.
- IF IN EYES** — Immediately flood eyes with copious amounts of water and consult your physician.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 4691-100

EPA Est. 4691-MO-1

NET WEIGHT 10 OUNCES

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use on Beef Cattle, Dairy Cattle, Horses, Sheep, Goats, and Swine

TO OPERATE:

Hold outlet about 3 inches from wound or infested area. Be sure opening is directed toward area to be treated. Press valve down to spray, wetting wound and about 1 inch of surrounding area thoroughly.

SCREW WORM AND BLOWFLY INFESTATIONS:

Use particular care to spray into deep pockets caused by screw worms. Repeat applications at 5- to 7-day intervals until wound is healed.

TO PREVENT SCREW WORM AND BLOWFLY INFESTATIONS:

Apply directly to all open or fresh wounds resulting from dehorning, castration, shear cuts, etc. Also treat navels of newborn animals. Freely bleeding wounds may require several applications. Repeat applications at 5- to 7-day intervals until wound is healed.

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and/or handling of this material when such use and/or handling is contrary to label instructions.

435-1075

