

Kills Fleas, Lice and Ticks

Code 435-021

Active Ingredients:

Carbaryl (1-naphthyl N-methyl-carbamate)	1.00%
Pyrethrins	0.06%
Piperonyl Butoxide Technical* ..	0.60%
Butoxypropylene Glycol	5.00%
Petroleum Distillate	20.00%
Inert Ingredients	73.34%

*Equivalent to .48% (butylcarbityl) (6-propylpiperonyl) ether and .12% related compounds.

Warning: Contents under pressure. If stored where temperature exceeds 120° F. bursting may occur. Keep away from stoves, radiators, direct sunlight. Do not puncture or throw into fire.

Note to Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Hazardous—Not for human use.

•Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

For External Use Only

For Animal Use Only

Distributed by
ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc.
St. Joseph, Missouri 64502, U.S.A.

350-0674

ANCHOR

FLEA, LICE AND TICK BOMB

Contains SEVIN®

DANGER: Vapor Flammable

WARNING: Do not use near open flame.

**CAUTION: Keep out of the reach of children.
See side panels for additional cautions.**

**CAUTION:
CONTENTS UNDER PRESSURE**

Dogs and Cats

NET WEIGHT 12 OZ.

GENERAL DIRECTIONS FOR USE:

1. Hold bomb about 12 inches from animal.
2. Move can in a circular motion to get thorough coverage of coat until tips of hair are moist.
3. For cats spray on the basis of a 4- to 6-second application to a 5-pound cat, and for dogs on a basis of a 20- to 30-second application to a 25-pound dog.
4. Brush or comb against lay of hair, exposing skin and spraying at same time.
5. Spray ticks directly.
6. To control Fleas, Lice and Ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
7. Repeat treatments, if necessary, should not be more often than once weekly.

Note: Do not invert can.

CAUTION: Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contact with the eyes.

Avoid contamination of feed and food products.

Do not treat kittens or puppies under 4 weeks of age. Do not spray in eyes of pets.

E.P.A. Reg. No. 4691-104-AA
EPA Est. 2382-IN-1

Kills Fleas, Lice and Ticks

Code 435-021

Active Ingredients:

Carbaryl (1-naphthyl N-methylcarbamate)	1.00%
Piperonyl	0.05%
Flushing Butoxide Technical*	0.50%
Butylparaffin Glycol	5.00%
Petroleum Distillate	20.00%
Inert Ingredients	73.34%

*Equivalent to .48% (butylcarbityl) (6-propylpiperonyl) ether and .12% related compounds.

Warning: Contents under pressure. If stored where temperature exceeds 120° F. bursting may occur. Keep away from stoves, radiators, direct sunlight. Do not puncture or throw into fire.

Note to Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Hazardous—Not for human use.

*Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

For External Use Only

For Animal Use Only

Distributed by

ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc.
St. Joseph, Missouri 64502, U.S.A.

350-0674

ANCHOR

FLEA, LICE AND TICK BOMB

Contains SEVIN®

DANGER: Vapor Flammable

WARNING: Do not use near open flame.

CAUTION: Keep out of the reach of children. See side panels for additional cautions.

CAUTION:

CONTENTS UNDER PRESSURE

for Dogs and Cats

NET WEIGHT 12 OZ.

GENERAL DIRECTIONS FOR USE:

1. Hold bomb about 12 inches from animal.
2. Move can in a circular motion to get thorough coverage of coat until tips of hair are moist.
3. For cats spray on the basis of a 4- to 6-second application to a 5-pound cat, and for dogs on a basis of a 20- to 30-second application to a 25-pound dog.
4. Brush or comb against lay of hair, exposing skin and spraying at same time.
5. Spray ticks directly.
6. To control Fleas, Lice and Ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
7. Repeat treatments, if necessary, should not be more often than once weekly.

Note: Do not invert can.

CAUTION: Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contact with the eyes.

Avoid contamination of feed and food products.

Do not treat kittens or puppies under 4 weeks of age. Do not spray in eyes of pets.

E.P.A. Reg. No. 4691-104-AA
EPA Est. 2382-IN-1