Kills Fleas, Lice and Ticks

Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

Note to Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

CAUTION: Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contact with the

Avoid contamination of feed and food products.

Do not treat kittens or puppies under 4 weeks of age. Do not spray in eyes of pets.

Hazardous—Not for human use.

*Trademark of Union Carbide Corp for 1-naphthyl N-methylcarbamate


For External Use Only For Animal Use Only

Distributed by

ANCHOR LABORATORIES, INC.

A Division of PHILIPS ROXANE, Inc. St Joseph Missouri 64502 U.S.A.

350-1077



Code 435-021

ANCHOR

FLEA, LICE AND TICK BOMB

Contains SEVIN®

CAUTION: Keep out of the reach of children. See side panels for additional cautions

for Dogs and Cats
NET WEIGHT 11 OZ

GENERAL DIRECTIONS FOR USE:

- 1. Hold bomb about 12 inches from animal.
- Move can in a circular motion to get thorough coverage of coat until tips of hair are moist.
- 3. For cats spray on the basis of a 4-to 6-second application to a 5-pound cat, and for dogs on a basis of a 20- to 30-second application to a 25-pound dog.
- Brush or comb against Jay of hair, exposing skin and spraying at same time.
- 5. Spray ticks directly.
- To control Fleas, Lice and Ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
- Repeat treatments, if necessary, should not be more often than once weekly.

Note: Do not invert can.

EPA Reit No. 4691-104 EPA Est. 7056-TX-1

IPMT 5.5. 2456