

PM 17 10F1

REVISED LABEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of feedstuffs. Wash hands after spraying. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

Do not treat kittens and puppies under 4 weeks of age. Do not spray in eyes of pets. Do not use on pregnant dogs. Some cats may be sensitive to Flea, Lice and Tick Spray. Do not exceed recommended dose. Do not spray directly on kittens and puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before of after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult a veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Get medical attention.

If on Skin: Remove contaminated clothing and wash with soap and water.

If in Eyes: Flush eyes with plenty of water.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Distributed by
 Anchor Division
 Boehringer Ingelheim Animal Health, Inc.
 St. Joseph, Missouri 64502 U.S.A.



FLEA, LICE AND TICK
SPRAY
 Contains SEVIN®.

KILLS FLEAS, LICE AND TICKS
ON DOGS AND CATS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	1.00%
Pyrethrin	0.08%
Piperonyl Butoxide Technical**	0.80%
Butoxypropylene Glycol	8.00%
Petroleum Distillate	20.00%
INERT INGREDIENTS	73.34%

**Equivalent to .48% (butylcarbityl) (8-propylpiperonyl) ether and 12% related compounds.

Keep out of reach of children
CAUTION

See Side Panels for Additional Precautionary Statements

NET WEIGHT 16 OZ
Code 435-031

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Hold sprayer about 12 inches from animal.
2. Move sprayer in a circular motion, while squeezing trigger, to get thorough coverage of coat until tips of hair are moist.
3. For cats, spray on the basis of 4 to 8 pumps to a 5-pound cat; and for dogs, on a basis of 20 to 30 pumps to a 25-pound dog.
4. Brush or comb against lay of hair, exposing skin and spraying at same time.
5. Spray ticks directly.
6. To control fleas, lice and ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
7. Repeat treatments, if necessary, should not be more often than once weekly.

Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

EPA Reg. No. 4691-104
 EPA Est. 7050-TX-1

FOR EXTERNAL USE ONLY
FOR ANIMAL USE ONLY

350-0684

BEST AVAILABLE COPY

ACCEPTED
 NOV 28 1984
 Fungicide
 as provided, for use as
 registered under
 EPA Reg. No. 4691-104

SEP 21 1984

4691-104 PM12

171

EPAR

10-404

REVISED LABEL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or inhaled. Avoid skin contact. Avoid inhaling. Avoid contamination of foodstuffs. Wash hands after applying. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed. Do not treat kittens and puppies under 4 weeks of age. Do not spray in eyes of pets. Do not use on pregnant dogs. Some cats may be sensitive to Flea, Lice and Tick Spray. Do not exceed recommended dose. Do not spray directly on kittens and puppies. Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal. Consult a veterinarian at first sign of adverse reaction.

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Get medical attention.
If on Skin: Remove contaminated clothing and wash with soap and water.
If in Eyes: Flush eyes with plenty of water.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of tanks.

PHYSICAL OR CHEMICAL HAZARDS
FLAMMABLE Keep away from heat or open flame.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Distributed by
Anchor Division
Boehringer Ingelheim Animal Health, Inc.
St. Joseph, Missouri 64502 U.S.A.

ANCHOR

**FLEA, LICE AND TICK
SPRAY**
Contains SEVIN®

**KILLS FLEAS, LICE AND TICKS
ON DOGS AND CATS**

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	1.00%
Pyrethrin	0.08%
Piperonyl Butoxide Technical	0.80%
Butoxypropylene Glycol	5.00%
Petroleum Distillate	20.00%
INERT INGREDIENTS	73.34%

*Equivalent to .48% (butylcarbaryl)
**Equivalent to .12% (8-propylpiperonyl) ether and .12% related compounds.

Keep out of reach of children
CAUTION

See Side Panels for Additional Precautionary Statements

NET WEIGHT 16 OZ
Code 435-031

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Hold sprayer about 12 inches from animal.
2. Move sprayer in a circular motion, while squeezing trigger, to get thorough coverage of coat until tips of hair are moist.
3. For cats, spray on the back of 4 to 6 pumps to a 5-pound cat; and for dogs, on a back of 20 to 30 pumps to a 25-pound dog.
4. Brush or comb against lay of hair, exposing skin and spraying at same time.
5. Spray ticks directly.
6. To control fleas, lice and ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
7. Repeat treatments, if necessary, should not be more often than once weekly.

*Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

EPA Reg. No. 4691-104
EPA Est. 7056-TX-1

**FOR EXTERNAL USE ONLY
FOR ANIMAL USE ONLY**

350-0864

BEST AVAILABLE COPY

ACCEPTED
NOV 28 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide use under 4691-104

SEP 24 1984