

ACCEPTED

NOV 12 1987

U.S. Environmental Protection Agency,
Registration and Research Act,
Section 241. This pesticide
is listed under
EPA Reg. No. 4691-104

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contact with the eyes.
Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.
Do not treat kittens or puppies under 4 weeks of age.
Do not spray in eyes of pets.
Do not use on pregnant dogs.

Note to Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor.
Atropine is antidotal.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Container Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Hazardous—Not for human use

For External Use Only

Distributed by

Anchor Division

Boehringer Ingelheim Animal Health, Inc.
St. Joseph, Missouri 64502, U.S.A.

350-0987

ANCHOR.

**FLEA, LICE AND
TICK BOMB**

Contains SEVIN®
For Dogs and Cats

Active Ingredients:

Carbaryl (1-naphthyl N-methylcarbamate)	.100%
Pyrethrins	.06%
Piperonyl Butoxide, Technical	.60%
Butoxypolypropylene glycol	.500%
Petroleum distillate	.2000%
Inert Ingredients	.7334%

*Equivalent to .48% (n-butylcarbonyl) (6-propyl piperonyl) ether and .12% related compounds.

This product contains the toxic inert ingredient methylene chloride.

CAUTION: Keep out of the reach of children.

SEE SIDE PANELS FOR ADDITIONAL CAUTIONS

NET WEIGHT 11 OZ

Code 435-021

Kills Fleas, Lice and Ticks

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Hold bomb about 12 inches from animal.
2. Move can in a circular motion to get thorough coverage of coat until tips of hair are moist.
3. For cats spray on the basis of a 4- to 6-second application to a 5-pound cat, and for dogs on a basis of a 20- to 30-second application to a 25-pound dog.
4. Brush or comb against lay of hair, exposing skin and spraying at same time.
5. Spray ticks directly.
6. To control fleas, lice and ticks in sleeping quarters and kennels, spray bedding and surrounding areas thoroughly as often as necessary.
7. Repeat treatments, if necessary, should not be more often than once weekly.

Note: Do not invert can.

•Trademark of Union Carbide Corp. for 1-naphthyl N-methylcarbamate

For Animal Use Only

EPA Reg. No. 4691-104
EPA Est. 7056-TX-1

BEST AVAILABLE COPY