

Best copy available

ACCEPTED

APR 30 1985

Under the authority of the Administrator of the Environmental Protection Agency, this product is registered under EPA Reg. No. 4691-108

ANCHOR

10% EMULSIFIABLE INSECTICIDE

LONG-LASTING LIVESTOCK AND PREMISE SPRAY

ACTIVE INGREDIENTS

Permethrin (3-phenoxyphenyl) methyl (±)-cis, trans-3-(2,2-dichlorophenyl)-2,2-dimethylcyclopropanecarboxylate 10.00%
 INERT INGREDIENTS 90.00%
 TOTAL 100.00%

Cis/trans ratio, Min. 35% (±) cis, and max. 65% (±) trans isomers.
 Contains 0.75 lbs. permethrin per gallon.

CAUTION: Keep out of the reach of children
 See side panels for additional cautions.

NET CONTENTS: 1 QUART
 (0.946 liters)

Code 401-411

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS**

CAUTION: May be harmful if swallowed. Avoid contact with skin. Avoid contact with eyes. Wash thoroughly with soap and water immediately if contact occurs. If contact with eyes occurs, wash thoroughly with soap and water. If contact with clothing occurs, remove clothing immediately. Wash thoroughly with soap and water. Wash thoroughly with soap and water. Wash thoroughly with soap and water. Wash thoroughly with soap and water.

PHYSICAL OR CHEMICAL HAZARDS
 Do not use or store near open flame.

**DIRECTIONS FOR USE
 GENERAL USE CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. KEEP CONTAINERS SEALED WHEN NOT IN USE. PROTECT FROM FREEZING.
 In case of spill, absorb or sweep up with inert earth or synthetic absorbent. Remove to chamber with tray and dispose of in accordance with local regulations. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Do not reuse container or triple-rinse or remove contents from original container. Sanitary landfill or by other approved EPA-approved procedures.

Distributed by
Anchor Division
 Boehringer-Ingelheim Animal Health, Inc.
 St. Joseph, Missouri 64502, U.S.A.

Directions for use and dilutions for use

Horses, beef and dairy cattle, swine, poultry and pets for the control of lice, mites and ticks.
 Mix PERMECTRIN 10 and apply the use-diluted material to animal and best resting surfaces at the rates shown below. These dilutions and rates will provide most efficient pest control under conditions of heavy pressure. Wash feed, food, and water. Timing and frequency of application should be based on pest population reaching nuisance levels, but accompanying manure removal and sanitation practices should precede spraying. Do not spray feed, food, or water. Retreat as needed but not more often than once every 4 weeks. Wash udders thoroughly before milking.

PESTS	PERMECTRIN 10 DILUTIONS FOR USE	HOW TO APPLY
PESTS ON FARM PREMISES (Barns, Dairies, Feedlots, Stables, Poultry and Livestock Housing)		
Houseflies, Stableflies, Lesser houseflies and other manure breeding flies. Aids in control of cockroaches, mosquitoes and spiders.	Mix 1 qt in 25 gal of clean water.	Spray walls, ceiling, and floor.
		Use undiluted in mist blown space spray. Use 1 qt in 25 gal oil.
PESTS ON LARGE ANIMALS (Dairy or Beef Cattle and Horses)		
Faceflies, Hornflies, Horseflies	Mix 1 qt in 20 gal oil for backrubbers.	
Faceflies, Hornflies, Horseflies, Stableflies, Mosquitoes, Lice, Mites, Ticks	Mix 1 qt in 200 gal clean water for whole body spraying.	
Ear Ticks, Faceflies, Hornflies	Mix 2 oz in 1 gal oil or water for spot application.	
PESTS ON SWINE, POULTRY AND SMALL ANIMALS		
Mange mites	Mix 1 qt in 100 gal water.	
Mosquitoes, Hog lice, Fleas, Ticks	Mix 1 qt in 100 gal clean water for area or spot application.	
Poultry mites	Mix 1 qt in 50 gal clean water for spray birds and cages.	

*Diesel fuel or other non-irritating organic oil.
 Do not ship swine for slaughter within 5 days of last treatment.

EPA Reg. No. 4691-108
 EPA Est. No. 4691-MO-7

4691-108

04/30/1985

111