



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 M St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
**4691-131**

Date of Issuance:  
**JAN 12 2000**

**NOTICE OF PESTICIDE  
Reregistration**

Term of Issuance:  
**Reregistration**

Name of Pesticide Product:  
**Rabon 3<sup>®</sup> Insecticide Dust**

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

**Ms. Karen A. Vasquez  
Boehringer Ingelheim Animal Health, Inc.  
2621 North Belt Highway  
St. Joseph, MO 64506-2002**

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at anytime to maintain the registration of your product. with regards to labeling, you must make the labeling changes listed below:

1. The EPA Establishment Number must appear on the label or immediate container. The number must be preceded by the phrase "EPA Establishment Number" or "EPA Est. No."
2. The header "Precautionary Statements" should appear in all caps.
3. Based on the Acute Toxicology profile for this product you must include a heading of "First Aid" and the First Aid statements should read as follows:

**FIRST AID**

**"IF SWALLOWED:** Call a physician or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by poison control center or doctor.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment

**IF ON EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or a doctor for treatment advice."

Signature of Approving Official:

Date:

**JAN 12 2000**

4. The following statements should be placed near the First Aid Statements:

"In case of emergency call (insert toll-free emergency number)."

"Have the product container or label with you when calling a poison control center or doctor or going for treatment."

5. The human precautionary statements must be revised to read as follows:

"Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. Wash thoroughly with soap and water after handling."

Personal Protective Equipment (PPE)

Mixers and Handlers must wear:

- long-sleeved shirt and pants
- shoes and socks
- chemical resistant gloves"

6. The header "User Safety Requirements" must be added to the label and should read as follows:


"Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

7. The header "User Safety Recommendations" must be added to the label and should read as follows:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

Enclosed, please find a copy of your most recently submitted label stamped "Accept with Comments." Please submit two (2) copies of your final printed label before you release this product for shipment. I'll be happy to answer any questions you may have regarding this issue.


Sincerely,



George LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

enclosure

md:a:4691-131

Signature of Approving Official: 	Date: JAN 12 2000
-------------------------------------------------------------------------------------------------------------------------	----------------------

### Precautionary Statements Hazards to Humans

**Caution:** Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling. This product may cause skin sensitization reactions in certain individuals.

**Note to Physician/Veterinarian:** This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

### Environmental Hazards

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.

### Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place in original container.  
**Disposal:** Completely empty container into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### Warranty & Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of **Fitness or of Merchantability**, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.



# Boehringer Ingelheim

## RABON® 3 INSECTICIDE DUST

Controls Horn Flies, Cattle Grubs and Lice and  
Aids in Control of Face Flies on Cattle and  
Controls Lice on Swine

Controls Northern Fowl Mites, Chicken Mites  
and Lice on Poultry and Litter Beetles on Their  
Premises

Active Ingredient	% By Weight
Tetrachlorvinphos: 2-chloro- 1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate*	3.0%
Inert Ingredients	97.0%
<b>TOTAL</b>	<b>100.0%</b>

\*RABON Insecticide

Keep Out of Reach of Children  
**CAUTION**

See side panel for precautionary statements.

Net Weight: 12.5 Pounds

Boehringer Ingelheim Animal Health, Inc.  
St. Joseph, Missouri 64506-2002

EPA Reg. No. 4691-131

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JAN 12 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

4691-131

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is a ready to use insecticide dust. There is no withholding period from last application to slaughter. Apply as directed.

Animal	Insect	Remarks
Beef Cattle & Dairy Cattle	Horn Flies Face Flies & Lice	<b>HAND DUSTING</b> -Apply approximately 2 oz. of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll, and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary.
		<b>SELF-TREATING DUST BAG FORCED USE</b> -Put Rabon Insecticide Dust in cotton cloth or double burlap bags or use prepacked weather-proof cattle dust bags and hang in door exits or alleyways leading from animal buildings, salt or mineral blocks or watering holes. Protect cloth or burlap from weather.
		<b>FREE CHOICE USE</b> -Use the same dust bags as above, but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice aids in the control of lice.
	Cattle Grubs	After the grubs have encysted (formed warbles) apply 3-4 oz. down the backline and rub in thoroughly taking care to get the dust into the warble if possible.
Swine	Lice	<b>HAND DUSTING</b> -Apply 3-4 oz. of dust by conventional hand or power duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb of 3% dust should be applied per 150 sq. ft. of bedding.
POULTRY		
Type of Housing	Application	Remarks
Wire Cages	1 lb/300 birds Plunger or rotary type duster or shaker can duster	For individual treatment, direct dust to vent and fluff area. Group treatment may be preferred. Dust should reach skin. Do not repeat more often than every 14 days. Wire nungs and corners should also be treated.
Floor Management Litter	1 lb/100 sq ft Plunger or rotary type duster	Treat evenly and thoroughly. Also treat roosts, cracks and crevices where pest may hide. For darkling (litter) beetle control, apply 3/4 lb/100 sq ft.
NOTE: For northern fowl mites on roosters, thorough individual application of the dust will assure long-lasting control and reduce reinfestation of breeding flocks.		
Dust Box	2 lb/100 birds	Use box about 2 ft. by 2 ft. by 1 ft. deep.
Roost Paint	1 lb/100 sq. ft Make thick slurry by mixing 1 lb. of dust with 1 pint of water, continually stir.	Treat roosts thoroughly particularly the cracks and crevices.

3  
2  
3