

4691-131

5/20/2002



Boehringer
Ingelheim

1/2

RABON® 3 INSECTICIDE DUST

Controls Horn Flies, Cattle Grubs and Lice and
Aids in Control of Face Flies on Cattle and
Controls Lice on Swine

Controls Northern Fowl Mites, Chicken Mites
and Lice on Poultry and Litter Beetles on Their Premises

ACCEPTED
MAY 20 2002
Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 4691-131

Active Ingredient	% By Weight
Tetrachlorvinphos (CAS No. 22248-79-9)	3.0%*
Other Ingredients	97.0%
TOTAL	100.0%

*RABON Insecticide

Keep Out of Reach of Children
CAUTION

PRECAUTIONARY STATEMENTS
Hazards to Humans

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Mixers and Handlers must wear:

- Long-sleeved shirt and pants
- Shoes and socks
- Chemical resistant gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Contains an organophosphate that inhibits cholinesterase.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-821-7467 for emergency medical treatment information.	
NOTE TO PHYSICIANS	
This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.	

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, Missouri 64506-2002
(800) 821-7467

Net Weight: 12.5 Pounds
EPA Reg. No. 4691-131
EPA Est. No. 4691-KS-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is a ready to use insecticide dust. There is no withholding period from last application to slaughter. Apply as directed.

Animal	Insect	Remarks
Beef Cattle & Dairy Cattle	Horn Flies, Face Flies, & Lice	HAND DUSTING-Applied approximately 2 oz. of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll, and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary.
		SELF-TREATING DUST BAG FORCED USE-Put Rabon Insecticide Dust in cotton cloth or double burlap bags or use prepacked weather-proof cattle dust bags and hang in door exits or alleyways leading from animal buildings, salt or mineral blocks or watering holes. Protect cloth or burlap from weather.
		FREE CHOICE USE-Use the same dust bags as above, but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice aids in the control of lice.
	Cattle Grubs	After the grubs have encysted (formed warbles) apply 3-4 oz. down the backline and rub in thoroughly taking care to get the dust into the warble if possible.
Swine	Lice	HAND DUSTING-Applied 3-4 oz. of dust by conventional hand or power duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. of 3% dust should be applied per 150 sq. ft. of bedding.
POULTRY		
Type of Housing	Application	Remarks
Wire Cages	1 lb/300 birds Plunger or rotary type duster or shaker can duster	For individual treatment, direct dust to vent and fluff area. Group treatment may be preferred. Dust should reach skin. Do not repeat more often than every 14 days. Wire rungs and corners should also be treated.
Floor Management Litter	1 lb./100 sq ft Plunger or rotary type duster	Treat evenly and thoroughly. Also treat roosts, cracks and crevices where pests may hide. For darkling (litter) beetle control, apply ¼ lb/100 sq ft.
Note: For northern fowl mites on roosters, thorough individual application of the dust will assure long-lasting control and reduce reinfestation of breeding flocks.		
Dust Box	2 lb/100 birds	Use box about 2 ft. by 2 ft. by 1 ft. deep.
Roost Paint	1 lb/100 sq. ft Make thick slurry by mixing 1 lb. of dust with 1 pint of water, continually stir.	Treat roosts thoroughly particularly the cracks and crevices.

Environmental Hazards

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.

Storage & Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place in original container.

Disposal: Completely empty container into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Warranty & Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.