

# PATRIOT DEFENSE SYSTEM INSECTICIDE CATTLE EAR TAG

This box contains studs for use with Allflex® applicators.

For use on Beef and Non-lactating Dairy Cattle to control Horn Flies (including pyrethroid resistant populations), Gulf Coast Ticks, Spinose Ear Ticks, and as an aid to control Face Flies, Lice, Stable Flies and House Flies.

KEEP OUT OF REACH OF CHILDREN


## WARNING

See Side Panel for Precautionary Statements

Active Ingredient:	By Weight
Diazinon (CAS #333-41-5).....	40.0%
Other Ingredients:.....	60.0%
Total:	100.0%

<b>FIRST AID</b>	
Contains an organophosphate that inhibits cholinesterase.	
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious or convulsing person.</li> </ul>
<b>HOT LINE NUMBER</b>	
Contains an organophosphate that inhibits cholinesterase.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-821-7467 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	
This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.	

Net Weight: 15 Grams Per Tag  
Contents: 2 Pouches of 10 Tags Each



### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS. WARNING.

Harmful if absorbed through the skin or if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Wear non-permeable gloves when applying tags.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of used tags.


#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Reformulation or repackaging of this product is prohibited.

For adequate control of horn flies, attach one tag per animal. For optimum control of horn flies, control of ear ticks, and as an aid in the control of face flies, lice, stable flies and house flies, attach one tag to each ear (two per animal). Replace as necessary. PATRIOT™ tags have been proven to be effective against pyrethroid resistant horn flies for up to five months. Apply as indicated (Figures 1-5). Calves less than 3 months of age should not be tagged as ear damage may result. **Remove tag prior to slaughter.**

Figure 1.





Disinfect pliers prior to use. Place female tag under clip by depressing lever. Collar on tag must be pointing down.

Figure 2.



Slide male button on pin. Align tip of male button with female portion of tag. Tag and button are now ready for application.

Figure 3 and Figure 4.



Position tag on the inner flat surface in center of ear. Do not allow shaft of the male rivet to penetrate any cartilage rib or blood vessel or ear damage may result. We commend that tag be rotated at a 90° angle (Fig. 3) for ease of application. Tag may also be extended outward from the plier in a straight manner (Fig. 4).

Figure 5.



When properly positioned, the tag should hang as shown.

**STORAGE AND DISPOSAL**

Store in a cool place in original container.  
Opened pouches containing ear tags should be resealed for storage. Do not contaminate water, food, or feed by storage or disposal.  
Pesticide Disposal: Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
Container Disposal: Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY AND LIMITATION OF DAMAGES**

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. **Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with a specific reference to this warranty.** In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Boehringer Ingelheim Vetmedica, Inc.  
St. Joseph, MO 64506 U.S.A.  
(800) 821-7467

EPA Reg. No. 4691-148  
EPA Est. No. 4691-KS-1