- .4691-154

07/31/2002

PTENOCIDE™ AEROSOL HOUSE & CARPET SPRAY

FOR CARPET AND PREMISE APPLICATION

KILLS ADULT FLEAS PLUS KILLS EGGS (OVICIDAL) IMMEDIATELY FOLLOWING APPLICATION. KILLS LARVAE (LARVICIDAL) AND PREVENTS IMMATURE STAGES (LARVAE, PUPAE, PREADULTS) FROM DEVELOPING INTO BITING ADULT FLEAS (STOPS NEW INFESTATIONS) FOR 210 DAYS (28 WEEKS OR 7 MONTHS).

ACTIVE INGREDIENTS

Pyriproxyfen 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxyl] pyridine	0.042%
d-trans-chrysanthemum monocarboxylic acid ester of d-2-allyl-4-	
hydroxy-3-methyl-2-cyclopenten-1-one*	0.030%
Permethrin [(3-phenoxyphenyl) methyl(±) cis-trans-3-(2,2-dichloroethenyl)	
2,2-dimethylcyclopropane-carboxylate]	0.200%
	0.100%
N-octyl bicycloheptene dicarboximide***	0.400%
OTHER INGREDIENTS	99.228%
10	00.000%

- * S-bioallethrin from ESBIOL®, Roussel-Eclaf
- ** Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.02% related compounds
- *** MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

Net Wt. 14 oz. (396.9 g)

Ptenocide™ is a trademark of Boehringer Ingelheim Vetmedica, Inc.

ACCEPTED

JUL 3 1 2002

Under the Federal Insecticide,
Pungicide, and Bodenticide Act,
as amended, for the posticide
registered under
BPA Reg. No. 4691-154

CARPET AND PREMISE SPRAY

KILLS ADULT FLEAS KILLS FLEA EGGS KILLS FLEA LARVAE STOPS NEW INFESTATION FOR 7 MONTHS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:

Causes moderate eye injury. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Do not contaminate food or foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared, processed or stored. Remove pets, birds and/or cover fish aquariums before use.

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
-	duct container or label with you when calling a poison control center or doctor, or going for ou may also contact 1-800-821-7467 for emergency medical treatment information.

PHYSICAL & CHEMICAL HAZARDS:

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the most effective results, all carpeted surfaces should be thoroughly vacuumed and the entire dwelling should be treated. Use one can to treat 650 sq. ft. For use in homes, garages, attics, apartments, hotels, kennels and dog houses, and outdoor areas around the house where the pets lie or sleep. Also kills cockroaches, crickets, ticks, silverfish, spiders and ants.

PREPARATION: Cover exposed foods, dishes and food handling equipment. Open cabinets and closet doors to areas to be treated. Turn off fans and air conditioners. Extinguish all open flames except pilot light. Remove pets. Cover aquariums or fish bowls, or remove from area. Pet bedding is a primary hiding place for fleas and must be thoroughly treated or replaced for best results. Close outside doors and windows.

APPLICATION: Before spraying remove pets. To apply product, hold can upside down at arm's length directing spray towards area to be treated. Move arm in reverse sweeping motion by backing away from treated area. Immediately exit area. Do not occupy or allow pets to contact treated surface until the spray has completely dried. Before re-occupying, open all outside doors and windows, turn on air conditioner and fans and let treated area air for 30 minutes. Thoroughly clean all covered food processing areas before using. Retreatment may be required for the elimination of an established flea infestation.

STORAGE & DISPOSAL

Store in a cool area away from children. Replace cap, wrap in newspaper and discard container in trash. Do not incinerate or puncture.

Distributed by: Boehringer Ingelheim Vetmedica, Inc. St. Joseph, MO 64506 U.S.A. EPA Reg. No. 4691-154 EPA Est. No. 7056-TX-1