

4691-160

5/28/2002

1/2

Permethrin Pour-On

Insecticide

**Kills lice and flies
on beef and lactating and non-lactating dairy cattle**

ACTIVE INGREDIENT	
Permethrin (CAS# 52645-53-1)*	1.0%
OTHER INGREDIENTS**	99.0%
Total	100.0%


*cis/trans ratio: Min. 35%(±) cis
Max. 65%(±) trans

**Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

Net Contents: 1 U.S. Gallon



PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with eyes.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-821-7467 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

Environmental Hazards

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical and Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READY TO USE - No dilution necessary.

APPLICATION INSTRUCTIONS

Apply 1/2 fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. for any one animal to kill Lice; Horn Flies and Face Flies. Aids in the insecticidal control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks on lactating and non-lactating dairy cattle, beef cattle, calves and sheep. For sheep, apply 1/4 fl. oz. per 50 lbs. body weight of animal, up to a maximum of 3 fl. oz. for any one animal. **Pour-On:** Pour along back line and down face. For Keds on sheep, pour along back line over neck, shoulders and rump. **Ready-To-Use Spray:** Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. For Pour-On and Ready-To-Use Spray applications, repeat treatment as needed, but do not exceed 5 fl. oz. during any 14 day interval. For optimum insecticidal effectiveness against lice, a second treatment at 14 day intervals is recommended. **Back Rubber Use:** Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. For Back Rubber applications, results are improved by daily forced use.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Containers One Gallon and Under: Do not reuse empty container. Rinse thoroughly, wrap in several layers of newspaper and place in trash.

EPA REG. NO. 4691-160

EPA EST. NO. 44616-MO-1B

4691-KS-01D

Subscript used is first letter of
run code on container.

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, Missouri 64506-2002 U.S.A.
(800) 821-7467