

# 10% Permethrin™ Pour-On

## Insecticide


**Concentrated Dose**  
**Kills lice and flies on cattle**  
 Pour-on for lactating and non-lactating  
 dairy cattle and beef cattle

### ACTIVE INGREDIENT:

Permethrin (CAS# 52645-53-1) ..... 10.0%  
 OTHER INGREDIENTS\* ..... 90.0%  
 100.0%

\*Cis/trans ratio: Min. 35% (±) cis  
 Max. 65% (±) trans

\*\*Contains petroleum distillate.



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for additional precautionary statements.

NET CONTENTS:

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if inhaled. Causes moderate eye injury. Avoid breathing vapor or spray mist and contact with eyes, skin or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.  
**DO NOT USE ON HORSES.**

FIRST AID	
If swallowed	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-821-7467 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

### Environmental Hazards

This product is highly toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### Physical and Chemical Hazards

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** This is a highly concentrated formulation. Use only with an accurate measuring container or applicator.

Apply to: Lactating and Non Lactating Dairy Cattle and Beef Cattle.

Target Pests	Application Instructions
Controls susceptible Horn Flies for up to 6 weeks. Controls Lice. Aids in control of Face Flies, Deer Flies, Horse Flies, Stable Flies, House Flies, Mosquitoes, and Black Flies.	<b>Pour-On Dosage:</b> Pour from poll down neck and over shoulders. Apply 1.5 mL per 100 lbs body weight to a maximum of 15 mL per animal (1mL = 1 cc) (30mL = 1 oz). Repeat treatment as needed, but not more often than once every 2 weeks. For optimum lice control, two treatments at a 14 day interval are recommended.

**DO NOT USE ON HORSES.**

**SPECIAL NOTE:** This product is not effective in controlling grubs.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage and Spill Procedures:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

**Container Disposal:** Wrap container in several layers of newspaper and discard in trash. Or, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA REG. NO. 4691-161  
 EPA EST. NO. 62478-PL-1A  
 44616-MO-1B  
 4691-KS-1D

Manufactured by  
 Boehringer Ingelheim Vetmedica, Inc.  
 St. Joseph, Missouri 64506 U.S.A.

Subscript used is first letter  
 of run code on container.

4691-161

09/30/2002

1/1