

PM 03

4691-163

10/26/99

~~160/5570/67~~ 1 of 7
17/1

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

4691-163

Date of Issuance:

OCT 26 1999

Term of Issuance: Unconditional

Name of Pesticide Product:

Torpedo Wettable Powder

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Boehringer Ingelheim Vetmedica, Inc.
2621 North Belt Highway
St. Joseph, MO 64506

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 4691-163".
- b. Under Application Methods for Control of Wood-Infesting Insect add the following, "Drilling may be necessary prior to applying Torpedo Wettable Powder to voids, cracks or joint spaces in vulnerable locations and to channeled section of wood but it must be recognized that such drilling and treating may not result in complete coverage of infested and vulnerable voids. All treatment holes drilled in construction elements in commonly occupied areas of structures must be securely plugged. Inspect at 6 months and 1 year to insure that the colony has been killed. Retreat if needed."

Signature of Approving Official:

Date:

OCT 26 1999

- c. Under PRECAUTIONARY STATEMENTS, add the following, "Contact with product may cause transient tingling and reddening of the skin."
- d. Under INDOORS, change information under Handling Procedures, to read, "Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. As a minimum, eye protection and chemically resistant gloves, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator of a type recommended by NIOSH for filtering spray mists."
- e. Under OUTDOORS, High Volume Broadcast Sprays, add to the end of the paragraph, "Use sufficient amount of spray dilution to cover the area to the point of wetness but avoid applying to the point of runoff."
- f. Under GENERAL INFORMATION, either delete the claim "long residual control" or quality by identifying the period of control. This should be based on efficacy data for this formulation. You may want to check with AgrEvo Environmental Health in this regard. We noted the same statement on the label you reference for registration and will be sending that company a similar notification.
- g. Replace "For Use by Commercial Applicators Only" with "For Use by Individuals/Firms Licensed or Registered by the State to Apply Pesticide Products." The term commercial applicator means a certified applicator who applies restricted use pesticides.

Submit two copies of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

Sincerely

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosures

TORPEDO WETTABLE POWDER

- * For Use by Commercial Applicators Only
- * For Residential, Industrial and Institutional Control of Major Nuisance Pests
- * Controls numerous pests in and around households and other structures
- * For Use in Non-Food/Non-Feed Areas of Food/Feed Processing Plants

ACTIVE INGREDIENT:

Deltamethrin: (s)-cyano-3-phenoxybenzyl-
(1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethyl-
cyclopropanecarboxylate 5.00%

INERT INGREDIENTS: 95.00%
100.00%

EPA Reg. No. 4691-

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

See Side Panel For Additional Precautions

NET CONTENTS:

Manufactured for:
Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, Missouri 64506-2002 U.S.A.
(800) 821-7467

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 26 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4691-163

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment waters. Remove pets and cover aquariums and terrariums before spraying.

Physical & Chemical Hazards

Do not use water based sprays of Torpedo WP in conduits, motor housings, junction boxes, or other electrical equipment because of possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Mix as needed. Do not store diluted material. Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking and/or material is spilled on floor or paved surfaces, sweep up and remove to chemical waste area.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Empty container completely into application equipment. Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Information: Torpedo WP is a wettable powder insecticide containing 5.0% by weight active ingredient which will provide effective knockdown and long residual control of various pests in and around residential and non-residential buildings and structures and on various modes of transport.

Torpedo WP does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage. To ensure against possible damage to delicate material, test a small inconspicuous area before treatment.

INDOORS

Torpedo WP is intended to be mixed with water and applied, indoors as crack and crevice, spot and broadcast treatments, with pressurized sprayers or other equipment suitable for applying insecticides to localized areas. To minimize airborne particles, spray pressure should not exceed 30 psi at the nozzle tip.

Handling Procedures: Protective clothing is recommended when using or handling this product to help avoid exposure. As a minimum, a long-sleeved shirt and long-legged pants or coveralls and shoes plus socks are recommended.

Adults, children and pets should not contact treated surfaces until spray has dried. Do not treat pets with this product. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur. Do not use indoors as a space spray or in fogging equipment. It is recommended that eye protection be worn when making applications overhead.

Treatment Sites: When used in accordance with label directions, Torpedo WP may be applied in and around residential and non-residential buildings and structures. This product can be applied to walls, floors, ceilings, in and around cabinets, between, behind and beneath equipment and appliances, around floor drains, window and door frames, and around plumbing, sinks and other possible pest harborage sites. Permitted areas of use include, but are not limited to, the non-food/non-feed areas of:

buses	railcars
food manufacturing,	trucks
processing and	unoccupied poultry houses,
servicing establishments	horse stalls, cattle barns
houses	warehouses
industrial buildings	laboratories
and installations	

Treatments may be applied at 21-day intervals or as necessary to maintain adequate control.

Mixing Instructions: Torpedo WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Torpedo WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. **Dilute Torpedo WP insecticide only with water.**

Dosage Chart: This product is intended for dilution prior to applications as directed in the table below. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Torpedo WP.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Pests	Concentration of Active Ingredient	Dilution Rate Per Gallon of Final Spray
ants, bees, centipedes, cockroaches (maintenance rate), flies (including such flies as stable, house, cluster and horse flies), firebrats, gnats, hornets, killer bees, midges, mosquitoes, silverfish, yellow jackets, wasps	0.03% w/w	1 scoop
bedbugs, carpet beetles, cockroaches (clean out rate), crickets, fleas, lice, pillbugs, scorpions, sowbugs, spiders, ticks	0.06% w/w	2 scoops
carpenter ants	0.03% w/w	1 scoop

Application Methods

This product may be applied as crack and crevice, spot, general surface and broadcast treatments. Treat where pests are found or normally occur.

Crack and Crevice Applications: Use a low pressure system with a pinpoint or variable pattern nozzle to apply the spray mixture to areas such as floors, cracks and crevices in and around baseboards, walls, expansion joints, areas around water and sewer pipes, and voids formed by equipment or appliances.

Spot and Broadcast Applications: Use a low pressure system with fan-type nozzle to uniformly apply spot treatments in and around cupboards, and between, beneath and behind equipment or appliances. Torpedo WP may be applied as a broadcast spray to carpeted floor areas for control of fleas, and as a spot treatment for control of ticks and carpet beetles.

Premise Pest Control: Apply as a coarse, low pressure spot or crack and crevice spray to areas that pests normally inhabit. Pay particular attention to dark corners of rooms and closets; floor drains; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, and cabinets; around plumbing and other utility installations, doors, windows and in attics and crawl spaces. Applications may be made to floor surfaces along baseboards and around air ducts.

Pet Kennels: For residual control of crawling and flying insects in and around these structures, apply as a general surface and/or crack and crevice spray. Optimal control results if facilities to be treated are clean and if the exterior perimeter is concurrently treated with Torpedo WP. Apply only to areas of facility where animals are not present. Allow spray to dry before allowing re-entry of animals into treated areas. Do not apply to animal feed or watering equipment.

FOOD/FEED HANDLING ESTABLISHMENTS

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Do not use in Federally Inspected Meat and Poultry Plants.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

NON-FOOD/NON-FEED AREAS: Torpedo WP may be applied as a general, spot or crack and crevice treatment in non-food/non-feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

FOR CONTROL OF MOSQUITOES THAT MAY TRANSMIT MALARIA

General Surface Application: Mix 2 scoops (1.6 ounces) of Torpedo WP per gallon of water (0.06% dilution). Apply at a rate of 1 gallon of dilution per 1000 square feet. Do not allow dripping or run-off to occur. Spray evenly on all internal walls and ceilings of houses ensuring areas such as eaves are thoroughly treated. Also spray other buildings adjacent to the house such as animal shelters where many mosquitoes may rest. For best results, all houses in the areas should be sprayed and therefore access to as many houses as possible is important.

INDOOR PEST CONTROLLED BY TORPEDO WP

Ants ⁽¹⁾	Firebrats
Beetles	Fleas ⁽⁴⁾
Brown dog ticks ⁽²⁾	Mosquitoes
Centipedes	Silverfish
Cockroaches ⁽³⁾	Scorpions
(American)	Sowbugs
(Asian)	Spiders
(brown-banded)	Ticks
(German)	and other insect pests
(oriental)	
(smoky brown)	
Crickets	
Numbers refer to "Specific Indoor use Directions".	

Specific Indoor Use Directions

1. **Ants** may be controlled by treating ant trails and wherever else these pests may find entrance; for example, around doors and windows.
2. For control of **brown dog ticks**, thoroughly apply the spray to infested areas, such as cracks and crevices, along baseboards, windows and door frames, and areas of floor and floor coverings where these pests may be present. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not exceed two square feet. Use a 0.06% spray at the rate of 1 gallon of diluted spray per 1600 square feet. Do not treat pets with this product. Adults, children and pets should not contact treated surfaces until spray has dried.
3. **Cockroaches** can be controlled by making crack and crevice, spot or general surface treatments. Treat where insects are found or normally occur including, but not limited to, floors, cracks and crevices in walls, along and behind baseboards; around plumbing, floor drains and other utility installations; and beneath and behind sinks, cabinets or other fixtures.
4. To control **fleas**, thoroughly apply a fine-particle spray to infected areas, such as rugs and carpets. Vacuuming carpets prior to treatment may improve flea control. A 0.03% - 0.06% dilution at the rate of 1 gallon diluted spray per 800 - 1600 square feet depending upon carpet density is recommended. For medium to thick pile carpet, apply 1 gallon of diluted spray per 800 square feet. An insect growth regulator may be added to achieve extended control of developing flea larvae and pupae. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not to exceed two square feet.

Treated areas should be vacated during application, except for the applicator. Cover aquaria and fish bowls and remove other pets. Adults, children and pets should not contact treated surfaces until spray has dried. Old bedding should be replaced or thoroughly washed. Do not treat pets with this product. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea control product registered for application to animals.

OUTDOORS

Torpedo WP is intended to be mixed with water and applied outdoors with pressurized sprayers as a general surface spray. The active ingredient in this product will provide effective residual control of pests listed on this label.

Handling Procedures for General Use Outdoors: Do not allow adults, children or pets on treated surfaces until spray has dried. Keep out of fish pools or other bodies of water. Do not treat vegetable gardens. Do not allow livestock to graze in treated areas.

Treatment Sites: When used in accordance with label directions, Torpedo WP may be applied to and around outside surfaces of residential and non-residential buildings and structures. Permitted areas of use include, but are not limited to:

Crawl Spaces	Garages
Decks-	Lawns
Driveways	Refuse dumps
Eaves	Walkways
Fences	Walls
Foundations	Window and door frames

Mixing Instructions: Torpedo WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Torpedo WP. Thoroughly agitate the sprayer before using. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Torpedo WP insecticide only with water.

Dosage Chart: This product is intended for dilution prior to application as directed in the table below. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Torpedo WP.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion, can tank-mix pesticides, such as insect growth regulators, currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Concentration of Spray Mixture		Amount of Torpedo WP (ounce)	Amount of water (gal)	
High Conc.	0.03%	0.80	1	low volume
	0.06%	1.60	1	
Low Conc.	0.003%	0.80	10	high volume
		4.00	50	
	0.006%	8.00	100	
		1.60	10	
		8.00	50	
		16.00	100	

Application Methods

This product may be applied outdoors as a general surface spray. Treat where pests are found or normally occur.

Low Volume Directed Sprays: Application of low volume, high concentration (0.03 - 0.06%), sprays can quickly reduce localized heavy pest infestations on outside surfaces. Use a low pressure system with a pinpoint or variable pattern nozzle, such as a hand pump sprayer or backpack sprayer, and apply the spray mixture to specific areas such as cracks and crevices along walkways, patios, windows and door frames or other areas where insects may congregate or can gain entrance to the structure.

High Volume Broadcast Sprays: Application of high volume, low concentration (0.003 - 0.006%) sprays, such as with power spraying equipment, can help prevent infestations of buildings by reducing pests in outdoor areas. Longer residual is achieved at the higher rates (about 0.006%). This type of treatment provides more thorough coverage over large areas than low volume directed sprays. Treat by applying spray mixture directly to areas such as flower beds, junctions of soil and structural walls, under shrubs, along base of fences, and under eaves. Apply as a coarse spray at the rate of about 10 gallons spray mixture per 1000 square feet. Thoroughly and uniformly wet the treated area.

Outdoor Pests Controlled by Torpedo WP

Ants	Fleas
Bees ⁽¹⁾	Flies ⁽³⁾
Beetles	Hornets ⁽¹⁾
Carpenter ants	Midgets ⁽³⁾
Centipedes	Mosquitoes ⁽³⁾
Cockroaches	Moths
(American)	Pillbugs
(Asian)	Scorpions ⁽⁴⁾
(brown-banded)	Sowbugs
(German)	Spiders
(oriental)	Ticks
(smoky brown)	Wasps ⁽¹⁾
Crickets	Yellow Jackets ⁽¹⁾
Fire ants ⁽²⁾	and other outdoor insects

Numbers refer to "Specific Outdoor Use Directions".

Specific Outdoor Use Directions

- Wasps, Hornets, Yellow Jackets & Bees -**
Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, in cracks and crevices and under attic rafters which may harbor nests. Saturate nest and contact as many insects as possible.
- Fire ant mounds** may be controlled by applying Torpedo WP as a drench. Dilute 1.6 oz per 2 gallons of water. Gently sprinkle 1 to 2 gallons of the diluted insecticide over the surface of each mound and surrounding area to a 2 foot diameter. For best results, apply in cool weather, 65 to 80° F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

3. **Flies, midges and mosquitoes** may be controlled by spraying outside surfaces of doors, screens, window frames, or wherever these insects may enter the room. Also, spray surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.
4. **Scorpions** may be controlled by removing accumulations of lumber, firewood and other materials serving as harborage sites. Before stacking firewood or lumber, apply Torpedo WP as a localized spray to surfaces immediately below such materials. Do not treat firewood directly. Broadcast sprays outdoors may assist in reducing pests migrating from surrounding areas.

FOR CONTROL OF WOOD-INFESTING INSECTS

Torpedo WP is intended to be mixed with water and applied as a general surface or localized injection treatment with pressurized sprayers or other equipment suitable for applying insecticides to localized areas.

Handling Procedures: Contact with treated surfaces should be avoided until spray has dried. Cover or remove exposed foods before treatment. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur.

Treatment Sites: When used in accordance with label directions, Torpedo WP can be applied to residential and non-residential buildings and structures for control of wood-infesting insects. Permitted areas of use include but are not limited to:

- crawl spaces
- gaps between wooden members
- junctions between wood and foundation
- voids and channels in damaged wood
- wall voids
- wood surfaces

Mixing Instructions: To make a 0.03% water-based spray, mix 0.8 ounces (1 scoop) of Torpedo WP per gallon of spray mixture. To make a 0.06% water-based spray, mix 1.6 ounces (2 scoops) of Torpedo WP per gallon of spray mixture. When diluting, add water to the spray tank and the appropriate amount of Torpedo WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Torpedo WP insecticide only with water.

Dosage Rates: Applications of 0.03% to 0.06% Torpedo WP can be made depending on pest species and method of application. Expect increased residual control of higher rates. See "Specific Use Directions For Control of Wood-Infesting Insects" for additional information.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Application Methods

This product may be applied either as a coarse spray or by brushing onto targeted surfaces. Equipment capable of delivering a coarse, low pressure (about 20 psi) spray is recommended for treatment of large or overhead areas. Inaccessible areas such as wall voids can be treated by injecting the spray mixture under low pressure (about 20 psi) through drilled openings. Use sufficient amount of spray dilution to cover the area to the point of wetness but avoid applying to the point of runoff.

Drilling may be necessary prior to applying Torpedo WP to voids, cracks or joint spaces in vulnerable locations and to channeled section of wood but it must be recognized that such drilling and treating may not result in complete coverage of infested vulnerable voids. All treatment holes drilled in construction elements in commonly occupied areas of structures must be securely plugged. Inspect at 6 months an 1 year to insure that the colony has been killed. Retreat if needed.

Overhead Areas: It is recommended that, when spraying overhead interior living areas of residential buildings, surfaces below areas being treated be covered with plastic sheeting or other material which can be disposed of by placing in trash. Care should be taken to avoid dripping or runoff from contacting applicator.

Wood-Infesting Insects Controlled by Torpedo WP

- beetles⁽¹⁾
 - (Anobiidae)
 - (Bostrichidae)
 - (Cerambycidae)
 - (Lyctidae)
- Carpenter ants and other wood-infesting ants⁽²⁾
- Carpenter bees

Numbers refer to "Specific Use Direction for Control of Wood-Infesting Insects".

Specific use Directions for Control of Wood-Infesting Insects

1. **Beetles** may be controlled by applying spray mixture to infested areas, or areas where infestations are likely to occur. This includes but is not limited to wood surfaces, voids and channels in damaged wood, spaces between wooden members of a structure and junctions between wood and foundations. Apply to wetness but avoid runoff.
2. **Wood-infesting ants** may be controlled by applying spray mixture around doors and windows, cracks or crevices, or other areas where ants may enter, crawl or hide.

Primary colonies are typically found outside through an exterior inspection. Correction of sanitation and structural deficiencies or landscape modifications may be necessary for effective control.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.