	U.S. ENVIRONMENTAL P Office of Pestic:		EPA Reg. Number:	Date of Issuance
UNITED STATES	Registration Divi 1200 Pennsylvania Washington, D	sion (7505C) a Ave., N.W.	4691-167	September 10, 2004
			Term of Issuan	
"TAL PROTECT"	NOTICE OF PESTICI		Condition	
<u>X</u> Registration <u>Reregistration</u>				
(under FIFRA, as amended)		Name of Pestic 2824-2	Name of Pesticide Product: 2824-2	
Name and Address of	Registrant (include ZIP Code	):		
Boehringer 2621 North	Ingelheim Vetmedic Belt Highway MO 64506-2002			
be submitted to and	beling differing in substance 'accepted by the Registration his product always refer to t	Division prior to us	se of the label in co	is registration mus mmerce. In any
On the basis of inf registered/reregist	ormation furnished by the reg ered under the Federal Insect	istrant, the above na icide, Fungicide and	amed pesticide is her Rodenticide Act.	eby
In order to protect cancel the registra with the registrati	no way to be construed as an health and the environment, tion of a pesticide in accord on of a product under this Ac e name or to its use if it ha	the Administrator, or ance with the Act. ? t is not to be constr	h his motion, may at The acceptance of any rued as giving the re	any time suspend or name in connection
	roduct is conditio 3(c)(7)(A) provide		ered in acco:	rdance with
registration	omit and/or cite a n/reregistration o L registrants of s	f your produ	ct when the A	
2. Mal product for	<pre>ke the following l shipment:</pre>	abel changes	before you n	release the
	evise the EPA Regi b. 4691-167".	stration Num	ber to read,	"EPA Reg.
	te to a contradict reatment as needed very two weeks", f ection, delete the ontrol of chewing oplication."	, but do not ound within label claim	apply more t the DIRECTION , "Provides s	than once NS FOR USE season long
Signature of Approv	ing Official:		Date:	10, 2004
			Sebcemer	. 10, 2004
	Product Manager (01)			

*.*...

page 2 EPA Reg. No. 4691-167

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Daniel C. Kenny Product Manager (01) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

١

### A NOVEL READY-TO-USE SUSPENSION FOR CONTROL OF ECTOPARASITES ON LACTATING AND NON-LACTATING DAIRY CATTLE, BEEF CATTLE AND CALVES

Provides season long control of chewing and sucking lice with one application.

- > Has a zero day PSI and milk discard time.
- May be used as a component of an integrated pest management program, either alone or in combination with other insecticides as an aid to prevent the development of insecticide resistance.
  - > Dual mode of action delays development of insecticides resistance.

#### **Active Ingredients**

۰.

Diflubenzuron [CAS# 35367-38-5]	
Permethrin [CAS# 52645-53-1]	
Other Ingredients*	
Total	100.00%

\* Contains petroleum distillates.

# Keep Out of Reach of Children

# CAUTION

See side panel for additional precautionary statements

Net Contents: \_\_\_ fluid ounces

Boehringer Ingelheim Vetmedica, Inc. St. Joseph, MO 64506-2002 EPA Reg. No. 4691-EPA Est. No. 4691-KS-01

#### ACCEPTED with COMMENTS In EPA Letter Dated:

SEP 1.0 2004 Under the Federal Insecticide, Pangicide, and Rodenticide Act, as amended, for the pesticide registered under BPA Reg. No.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **Personal Protective Equipment (PPE)**

Applicators and handlers must wear:

1) Long-sleeved shirt and long pants

- 2) Shoes and socks
- 3) Chemical-resistant gloves

### FIRST AID

### **IF SWALLOWED**

- Call a poison control center or doctor immediately for treatment advice.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

### **IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### **IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-821-7467 for emergency medical treatment information.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other aquatic invertebrates. Do not add directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

•1

÷

TARGET ANIMAL	TARGET PEST	APPLICATION
	TANGETTEST	
		INSTRUCTIONS
Lactating and non-	Lice	Dosage:
lactating dairy cattle, beef		Apply 3 ml/100 lbs body
cattle and calves.		weight of animal, up to
		maximum of 30 ml for
		any one animal.
		Pour uniformly down face
		and along the back. Keep
		away from eyes and
		mucous membranes.
		Repeat treatment as
		• •
		needed, but do not apply
		more than once every
		two weeks.

## **READY TO USE - NO DILUTION NESSARY**

Application Instructions: Pour along back line and down face. Product may be either administered directly from graduated tip-and-pour container, graduated applicator gun, or graduated ladle/dipper.

Product is not effective in controlling cattle grubs; therefore, the product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatment products.

For net contents of 8 oz .:	This container will treat up to 8 animals.
For net contents of 1 pint:	This container will treat up to 16 animals.
For net contents of 1 quart:	This container will treat up to 32 animals.
For net contents of ½ gallon:	This container will treat up to 64 animals.
For net contents of 1 gallon:	This container will treat up to 128 animals.
For net contents of 2.5 gallons:	This container will treat up to 320 animals.
For net contents of 5 gallons:	This container will treat up to 640 animals.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**<u>Storage:</u>** Keep container sealed when not in use. Do not store near food or feed.

<u>Pesticide Disposal:</u> Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For Containers 1 Gallon and Under: Do not reuse empty container. Rinse thoroughly, wrap in several layers of newspaper, and place in trash.

### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.