

EHRlich's PIGEON BAIT POISONED GRAIN

FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS
TRAINED IN BIRD CONTROL.

DANGER KEEP OUT OF REACH OF CHILDREN.

SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS ON SIDE PANEL.

ACTIVE INGREDIENT:		
Strychnine Alkaloid	0.6%	
INERT INGREDIENTS:	99.4%	
Total	100.0%	

POISONOUS IF SWALLOWED

DANGER



ACCEPTED
FEB 25 1975
Under Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registration under
EPA Reg. No. 4704-18

Net Contents: 35lbs.

Manufactured by

J. C. EHRlich
CHEMICAL CO., INC.

800 HIESTERS LANE • READING, PA. 19605



With Comments

USE Target species - Feral or Domestic Pigeons. To be used around buildings, building tops in urban areas, warehouse roofs and vacant lots in urban areas.

HOW TO USE: This product should be used where Pigeon population is problematic. Pre-baiting must be limited to 2 days. The amount of bait used will be determined by the amount of pre-bait consumed during the 2 day period. All poisoned grain must be picked up and destroyed at the end of the treatment period.

1. Treatment period:
These will vary in length due to varying feeding activities. However, when at least 3/4 lbs. of treated grain is not consumed during a treatment day, all treatments must be terminated. At this point either bait avoidance or population control make further treatments unnecessary. This product is highly toxic and environmentally hazardous to non-target species:

ENVIRONMENTAL STATEMENT:

This product will kill birds and other wildlife feeding in treated areas. This product must not be used when non-target species are found to be feeding either on pre-bait or bait areas. Excess treated bait must be picked up and stored rather than burying at treatment sites. Use only as directed on label.



DANGER Convulsive poison. Do not contaminate feed or foodstuffs, away from children and domestic animals. Wash hands with soap and water after using.

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. If less than ten minutes have passed since the poison was taken, give a tablespoon of salt water or a glass of warm water to remove unabsorbed strychnine. Treatment by stomach pumping method after ten minutes may induce onset of convulsions. If convulsions occur, followed by respiratory failure, administer artificial respiration. Victim lie down in a quiet, darkened room and keep warm.

Do not Re-use bag. Dispose of empty bag by deep burial or burning out of smoke.

EPA Reg. No. 4704-18

EPA Est. No. 4704-PA 1



H'S PIGEON BAIT SONED GRAIN

PROFESSIONAL PEST CONTROL OPERATORS

TRAINED IN BIRD CONTROL.


KEEP OUT OF REACH OF CHILDREN.

STATEMENT AND OTHER PRECAUTIONS ON SIDE PANEL.

INGREDIENT:	
strychnine	0.6%
Other Ingredients:	99.4%
Total	100.0%

POISONOUS IF SWALLOWED

ER



Net Contents: 35lbs.

EHRLICH
CHEMICAL CO., INC.



with comments

USE Target species: Feral or Domestic Pigeons. To be used around farm buildings, building tops in urban areas, warehouse roofs and vacant lots in urban areas.

HOW TO USE: This product should be used where Pigeon populations are problematic. Pre-baiting must be limited to 2 days. The amount of treated bait used will be determined by the amount of pre-bait consumed during the 2 day period. All poisoned grain must be picked up and destroyed at the end of the treatment period.

1. Treatment period:

These will vary in length due to varying feeding activities. However, when at least 3/4 lbs. of treated grain is not consumed during a treatment day, all treatments must be terminated. At this point either bait avoidance or population control make further treatments unnecessary and environmentally hazardous to non-target species:

ENVIRONMENTAL STATEMENT:

This product will kill birds and other wildlife feeding in treated areas. This product must not be used when non-target species are found to be feeding either on pre-bait or bait areas. Excess treated bait must be picked up and stored rather than burying at treatment sites. Use only as directed on this label.

DANGER Convulsive poison. Do not contaminate feed or foodstuffs. Keep away from children and domestic animals. Wash hands with soap and water after using.

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. If less than ten minutes have passed since the poison was taken, give a tablespoon of salt in a glass of warm water to remove unabsorbed strychnine. Treatment by this method after ten minutes may induce onset of convulsions. If convulsions occur, followed by respiratory failure, administer artificial respiration. Have victim lie down in a quiet, darkened room and keep warm.

Do not Re-use bag. Dispose of empty bag by deep burial or burning. Stay out of smoke.

EPA Reg. No. 4704-18

EPA Est. No. 4704 PA 1

