

EHRlich'S ENGLISH SPARROW BAIT

POISONED GRAIN

FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS
 TRAINED IN BIRD CONTROL.

DANGER KEEP OUT OF REACH OF CHILDREN.

SEE ANTIDOTE STATEMENT AND OTHER PRECAUTIONS ON SIDE PANEL.

ACTIVE INGREDIENT:		
Strychnine Alkaloid	0.6%
INERT INGREDIENTS:	99.4%
Total	100.0%

POISONOUS IF SWALLOWED

DANGER



POISON



ACCEPTED
 FEB 25 1975
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 4704-19

Net Contents: 35lbs.

Manufactured by
J.C. EHRlich

CHEMICAL CO., INC.

800 HIESTERS LANE • READING, PA. 19605



USE Target Species: English Sparrows. To be used around building tops in urban areas, warehouse roofs and vacant

HOW TO USE This product should be used where sparrows are problematic. Pre-baiting must be limited to 2 days. The amount of bait used will be determined by the amount of pre-baiting during the 2 day period. All poisoned grain must be picked up at the end of the treatment period.

1. Treatment period:
 These will vary in length due to varying feeding habits. When at least 3/4 lbs. of treated grain is not consumed per day, all treatments must be terminated. At times, for avoidance or population control make further treatments. Treatments are environmentally hazardous to non-target species.

ENVIRONMENTAL STATEMENT:

This product will kill birds and other wildlife feeding on treated grain. This product must not be used when non-target species are feeding either on pre-bait or bait areas. Excess treated grain should be picked up and stored rather than burying at treatment sites. See instructions on this label.

DANGER Convulsive poison. Do not contaminate feed areas. Keep away from children and domestic animals. Wash hands after using.

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. If 30 minutes have passed since the poison was taken, give a teaspoonful of glass of warm water to remove unabsorbed strychnine. The stomach method after ten minutes may induce onset of convulsions. If they occur, followed by respiratory failure, administer artificial respiration. Victim lie down in a quiet, darkened room and keep warm.

Do not Re-use bag. Dispose of empty bag by deep burial or by burning out of smoke.

EPA Reg. No. 4704-19

EPA Est. No. 4704-PA-1

SPARROW BAIT GRAIN

CONTROL OPERATORS

ROL.

ACH OF CHILDREN.

CAUTIONS ON SIDE PANEL.

..... 0.6%
..... 99.4%
..... 100.0%

DWED

POISON



lbs.

CH
CO., INC.

ADING, PA. 19605



USE Target Species: English Sparrows. To be used around farm buildings, building tops in urban areas, warehouse roofs and vacant lots in urban areas.

HOW TO USE This product should be used where sparrow populations are problematic. Pre-baiting must be limited to 2 days. The amount of treated bait used will be determined by the amount of pre-bait consumed during the 2 day period. All poisoned grain must be picked up and destroyed at the end of the treatment period.

1. Treatment period:

These will vary in length due to varying feeding activities. However when at least 3/4 lbs. of treated grain is not consumed during a treatment day, all treatments must be terminated. At this point either bait avoidance or population control make further treatments unnecessary and environmentally hazardous to non-target species:

ENVIRONMENTAL STATEMENT:

This product will kill birds and other wildlife feeding in treated areas. This product must not be used when non-target species are found to be feeding either on pre-bait or bait areas. Excess treated bait must be picked up and stored rather than burying at treatment sites. Use only as directed on this label.

DANGER Convulsive poison. Do not contaminate feed or foodstuffs. Keep away from children and domestic animals. Wash hands with soap and water after using.

ANTIDOTE: CALL A PHYSICIAN IMMEDIATELY. If less than ten minutes have passed since the poison was taken, give a tablespoon of salt in a glass of warm water to remove unabsorbed strychnine. Treatment by this method after ten minutes may induce onset of convulsions. If convulsions occur, followed by respiratory failure, administer artificial respiration. Have victim lie down in a quiet, darkened room and keep warm.

Do not Re-use bag. Dispose of empty bag by deep burial or burning. Stay out of smoke.

EPA Reg. No. 4704-19

EPA Est. No. 4704-PA-1

