For use in all types of food processing plants; such as, Canneries, Producers of Milk and Dairy Products, Beverage and Brewery Plants, Meat Packing and Sausage Industry, Baking and Milling Industry, Nut Processors, as well as Industrial Plants, Cafeterias, Institutions and Warehouses.

Harmless to equipment and utensils. Will not impart any color or taste to products and equipment when used as directed.


Kills Roaches, Waterbugs, Silverfish, Flies, Spiders, Vinegar and Fruit Flies, Fleas, Gnats, Ants, Carpet Beetles, Accessible Grain Beetles, Flour Weevils, Meal Moths, Rice Weevils, Cadelles, Flat Grain Beetles, and Chocolate Moths when used as directed.

SMALL FLYING INSECTS

Directions for use with space spraying devices:

- 1. Close all doors, windows, and other spaces through which the fog may escape.
- 2. Fog space treated, using one ounce Magic Circle Fog Spray Conc. for each 1,000 cubic feet of space.
- 3. Allow fog to remain in closed room for a period of not less than one hour; longer where
- 4. Air out room, sweep up and destroy fallen insects.
- 5. Wash and rinse food and beverage equipment contacted by fog, as in accord with good housekeeping procedure, before using.
- 6. Food and Beverage products in spaces treated should be covered prior to treatment.
- 7. In food processing plants use Magic Circle Fog Spray Conc. only when plant is not in operation.

IMPORTANT: Effective control by space spraying requires treathent as frequently as conditions of premises necessitate. Frequency of treatment must be based on prevailing conditions; such as, initial infestation, type and amount of product attracting various insects, prevailing temperature, humidity and amount of incoming traffic.





CONC. SPRAY

ACTIVE INGREDIENTS

Pyrethrins	0.4%
Piperonyl Butoxide, Technical*	1.0%
Petroleum Distillate	98.6%
	100.0%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

USDA Reg. No. 4704-26

CAUTION KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation of spray or mist. Do not spray, pour or spill near open flame. Do not enter treated areas until areas are thoroughly aired.

READING, PENNA

NET CONTENTS

GALLONS

Manufactured by



4704

S

Directions for Contact Spraying with hand or electric sprayer:

- 1. Roaches, Waterbugs, Silverfish and Spiders: Forcefully and thoroughly spray inside all cracks and crevices where moisture collects; such as, drains, waterpipes and sinks. Mouldings and woodwork should also be treated when necessary. Wherever possible, spray directly onto insects as they emerge from hiding places which are being sprayed. Repeat treatment as often as necessary.
- 2. For all accessible stages of Granary insects: such as, Flour Beetles, Granary Weevils. Saw-Toothed Grain Beetles, Lesser Grain Borer, Larger Grain Borer, Angoumois Grain Moth. Indian Meal Moth: Close all doors and windows of area treated. Spray floors, side walls, comers and cross beams. Stack goods with as much space between stacked merchandise. Grain bins should be emptied as frequently as possible so that walls, floors, corners, etc. are covered with thick spray. Spray weekly in warm weather and at least monthly during winter. Spray liberally after hot periods when migrations start.
- 3. Flies, Fruit and Vinegar Flies, Mosquitoes: Close doors and windows, direct spray toward ceiling and fill entire room with fog. Keep room closed for ten to twenty minutes. Sweep up and destroy fallen insects. Repeat treatment as often as required.
- 4. Ants, Fleas, Carpet Beetles: Spray floors, rugs and side walls for several feet up from the floor. Also spray animal quarters. Do not spray animals or pets, Repeat as required.