

BEST AVAILABLE COPY

EPA 111

ACCEPTED
JUL 2 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4715-19

DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.

GENERAL INFORMATION

Residual Spray is a highly effective Ready-To Use formulation for control of the insects listed below including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.

Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near food or food products. Avoid contamination of feed, food, food processing equipment and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Millipedes, Paperlice, Scorpions, Silverfish, Sawbugs and Spiders indoors, also Earwigs, Paperlice, Cigarette Beetles, Dermestids, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Sawtoothed Grain Beetles and Weevils. Outdoor: Residual Spray kills Fleas, Flies, Gnats, Mosquitoes, Punksies and Sandflies.

For use in food processing plants such as food mills, bakeries, dairies and meat processing plants and institutional areas such as hotels, theaters and offices. Do not use in edible products areas of food processing plants or other areas where food is commercially prepared or processed. Do not use in serving units while food is exposed, including those that are federally inspected.

Apply to food products, equipment, or packaging materials must be removed or covered before spraying. Rinse all equipment with water before reusing operations. Treat food products early in the season before canning or other processing begins. Repeat applications as necessary for continued control.

Spraying on ledges, doors and outside areas where insects congregate will aid in preventing infestation. Accumulation and prompt disposal of water is essential to any effective insect control program.

DIRECTIONS FOR USE

Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only outdoors. Avoid excessive drift. Apply to all insect breeding sites and harborage. Also treat all possible contact surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

NOTE: Do not use on electrical equipment.

RESIDUAL SPRAY
Contains BAYGON

For Industrial and Institutional Use Only

ACTIVE INGREDIENTS	By weight
1. Isopropylphenyl methylcarbamate*	1%
2. Butoxyethanol	9%
Petroleum Distillate	90%
	100%

*Baygon Registered T.M. of and manufactured by Bayer A.G., Germany. U.S. Patent Licensee.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for required caution statements

NET CONTENTS 1 5 30 50 Gallons

COLORADO INTERNATIONAL CORPORATION
Commerce City, Colorado 80022

Cockroaches: Thoroughly treat window and door frames, the beneath cabinet refrigerator junction boxes, floor drains and Ants: Apply to trails and plumb lines and runways outdoors. Cigarettes, Cigarette Beetles, Dipterocarps, Red Flour Beetles: Thoroughly treat floors and corners and perimeters. Sandflies: Destroy infested products. Silverfish, Firebrats and Paperlice: Brown Dog Ticks: Spray sleeping quarters and local areas of animal quarters after spraying. Clover Mites, Crickets, Earwigs: Thoroughly spray the interior, give special attention to window sills, door frames, and other areas where insects congregate. Fleas, Flies, Gnats, Mosquitoes: Thoroughly including inside and outside areas where insects congregate. Insect Control in Research Facilities: For insect control will vary.

CAUTION: May be harmful if swallowed. Avoid contact with eyes, nose, mouth, or clothing. Wash hands, arms, and face thoroughly. Contaminated clothing with soap and water. Do not use on domestic animals if poisoning occurs.

NOTE TO PHYSICIAN: ATROPHIC

WARNING: FLAMMABLE LIQUID

CONTAINER DISPOSAL: Do not reuse. Crush and bury in a safe place.

NOTICE: Seller warrants that it complies with all applicable laws since conditions of use, such as application equipment will vary.

EPA Reg. No. 4715-216