

GRAIN GARD FLOUR DUST


ACTIVE INGREDIENTS:

| TO IT I INGINIBILITY. | |
|---|------|
| Malathion (O,O-dimethyl dithiophosphate | |
| of diethyl mercaptosuccinate) | 1% |
| INERT INGREDIENTS: | |
| Baker's grade pure wheat flour | 99% |
| Total | 100% |

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid prolonged breathing of dust. Avoid prolonged or repeated contact with skin; wash thorouthly after using. Use only as directed. Keep out of reach of children. Store away from feed and foodstuffs. Do not put any wheat in storage containing more than 12% moisture.

COLORADO INTERNATIONAL CORP. COMMERCE CITY, COLORADO



DIRECTIONS FOR USE

For the protection of stored grain (such as wheat, oats, rice, corn, rye, barley, grain sorghum, and field or garden seeds) against confused flour beetle, rice weevil, granary weevil, saw-toothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, and Indian meal moth, apply 60 pounds per 1000 bushels as the grain is being loaded or turned into final storage.

Field and garden seeds can be protected against the above grain pests with a dosage of 30 pounds of Malathion 1% Premium Grade wheat flour dust per 500 bushels of seed.

To protect stored grains from attack by Indian meal moth, apply to the surface of clean or uninfested grain 30 pounds per 1000 square feet of grain surface area. Apply the dust evenly over the surface of the grain. Apply immediately after grain is loaded into storage and repeat if necessary.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

U.S.D.A Reg. No. 4715-92